












# ZEBRA BARCODE PRINTER GUIDE

| INDUSTRIAL   | Model No. | DPI | Speed (Inches/Second) | Features            | Memory |       | Max. Print Width | Label Compatibility |                | Ports |        |          | Bluetooth® |
|--|-----------|-----|-----------------------|---------------------|--------|-------|------------------|---------------------|----------------|-------|--------|----------|------------|
|  |           |     |                       |                     | SDRAM  | Flash |                  | Thermal Transfer*   | Direct Thermal | USB   | Serial | Ethernet |            |
| <br>ZT231   | H-10807   | 203 | 12"                   |                     | 256MB  | 256MB | 4.09"            | ✓                   | ✓              | ✓     | ✓      | ✓        |            |
| <br>ZT411   | H-8906    | 203 | 14"                   |                     | 256MB  | 512MB | 4.09"            | ✓                   | ✓              | ✓     | ✓      | ✓        | ✓          |
|  | H-8907    | 203 | 14"                   | Internal Rewind     |        |       |                  |                     |                |       |        |          |            |
|  | H-8908    | 203 | 14"                   | Cutter & Catch Tray |        |       |                  |                     |                |       |        |          |            |
|  | H-8909    | 300 | 10"                   |                     |        |       |                  |                     |                |       |        |          |            |
|  | H-8910    | 600 | 4"                    |                     |        |       |                  |                     |                |       |        |          |            |
| <br>ZT421 | H-8911    | 203 | 12"                   |                     | 256MB  | 512MB | 6.6"             | ✓                   | ✓              | ✓     | ✓      | ✓        | ✓          |
|  | H-8912    | 300 | 10"                   |                     |        |       |                  |                     |                |       |        |          |            |
| <br>ZT510 | H-7379    | 203 | 12"                   |                     | 512MB  | 2GB   | 4.09"            | ✓                   | ✓              | ✓     | ✓      | ✓        | ✓          |
|  | H-7380    | 203 | 12"                   | Internal Rewind     |        |       |                  |                     |                |       |        |          |            |
|  | H-7381    | 300 | 10"                   |                     |        |       |                  |                     |                |       |        |          |            |
|  | H-8817    | 300 | 10"                   | Internal Rewind     |        |       |                  |                     |                |       |        |          |            |
| <br>ZT610 | H-7378    | 203 | 14"                   |                     | 1GB    | 2GB   | 4.09"            | ✓                   | ✓              | ✓     | ✓      | ✓        | ✓          |
|  | H-8725    | 300 | 12"                   |                     |        |       |                  |                     |                |       |        |          |            |
|  | H-8819    | 600 | 6"                    |                     |        |       |                  |                     |                |       |        |          |            |
| <br>ZT620 | H-8857    | 203 | 12"                   |                     | 1GB    | 2GB   | 6.6"             | ✓                   | ✓              | ✓     | ✓      | ✓        | ✓          |
|  | H-8858    | 203 | 12"                   | Internal Rewind     |        |       |                  |                     |                |       |        |          |            |
|  | H-8859    | 300 | 8"                    |                     |        |       |                  |                     |                |       |        |          |            |




PC compatible only

\*Thermal Transfer Ribbon required

1-800-295-5510 [uline.ca](http://uline.ca)

| DIRECT THERMAL DESKTOP   | Model No. | DPI | Speed (Inches/Second) | Memory |       | Max. Print Width | Label Compatibility |                | Ports |        |          | Bluetooth® |
|--|-----------|-----|-----------------------|--------|-------|------------------|---------------------|----------------|-------|--------|----------|------------|
|  |           |     |                       | SDRAM  | Flash |                  | Thermal Transfer    | Direct Thermal | USB   | Serial | Ethernet |            |
| <br>ZD411   | H-10839   | 203 | 6"                    | 256MB  | 512MB | 2.20"            |                     | ✓              | ✓     |        |          |            |
| <br>ZD421D  | H-9579    | 203 | 6"                    | 256MB  | 512MB | 4.09"            |                     | ✓              | ✓     |        |          | ✓<br>(LE)  |
|  | H-9580    | 300 | 4"                    |        |       | 4.27"            |                     |                |       |        |          |            |
| <br>ZD621D | H-9607    | 203 | 8"                    | 256MB  | 512MB | 4.09"            |                     | ✓              | ✓     | ✓      | ✓        | ✓<br>(LE)  |

PC compatible only

| DUAL DESKTOP  | Model No. | DPI | Speed (Inches/Second) | Memory |       | Max. Print Width | Label Compatibility |                | Ports |        |          | Bluetooth® |
|---|-----------|-----|-----------------------|--------|-------|------------------|---------------------|----------------|-------|--------|----------|------------|
|   |           |     |                       | SDRAM  | Flash |                  | Thermal Transfer*   | Direct Thermal | USB   | Serial | Ethernet |            |
| <br>ZD421T                     | H-9581    | 203 | 6"                    | 256MB  | 512MB | 4.09"            | ✓                   | ✓              | ✓     |        |          | ✓<br>(LE)  |
|   | H-9582    | 300 | 4"                    |        |       |                  |                     |                |       |        |          |            |
| <br>ZD621T                     | H-9603    | 203 | 8"                    | 256MB  | 512MB | 4.09"            | ✓                   | ✓              | ✓     | ✓      | ✓        |            |
| <br>ZD621T<br>with Bluetooth® | H-9605    | 203 | 8"                    | 256MB  | 512MB | 4.09"            | ✓                   | ✓              | ✓     | ✓      | ✓        | ✓          |

PC compatible only

\*Thermal Transfer Ribbon required

| MOBILE   | Model No. | DPI | Speed (Inches/Second) | Memory |       | Max. Print Width | Label Type     |               | Bluetooth® | WiFi |
|--|-----------|-----|-----------------------|--------|-------|------------------|----------------|---------------|------------|------|
|  |           |     |                       | SDRAM  | Flash |                  | Direct Thermal | Receipt Paper |            |      |
|  <p><b>ZQ620</b></p>  | H-7889    | 203 | 4.5"                  | 256MB  | 512MB | 2.8"             | ✓              |               | ✓          | ✓    |
|  <p><b>ZQ630</b></p>  | H-8740    | 203 | 4.5"                  | 256MB  | 512MB | 4.1"             | ✓              |               | ✓          | ✓    |
|  <p><b>ZQ511</b></p> | H-9575    | 203 | 5"                    | 256MB  | 512MB | 2.8"             |                | ✓             | ✓          | ✓    |