



CUT RESISTANT GLOVE GUIDE

WHAT ANSI* CUT LEVEL DO I NEED?

	RISK LEVEL	TYPICAL APPLICATIONS
A9	Extreme Cut Hazards	<ul style="list-style-type: none"> • Heavy duty handling of castings and fabricated metals • Pulp and paper applications
A8	Very High Cut Hazards	<ul style="list-style-type: none"> • Butcher, meat packaging
A7	High Cut Hazards	<ul style="list-style-type: none"> • Automotive manufacturing • Metal stamping • Plastic machining
A6	Heavy Cut Hazards	
A5	Medium to Heavy Cut Hazards	
A4	Medium Cut Hazards	<ul style="list-style-type: none"> • Heavy metal fabrication • Food chopping/processing
A3	Light to Medium Cut Hazards	<ul style="list-style-type: none"> • Metal fabrication • Glass handling
A2	Light Cut Hazards	<ul style="list-style-type: none"> • Construction • Facilities maintenance
		<ul style="list-style-type: none"> • General warehouse receiving/packaging • Handling small parts, wires or cables

*American National Standards Institute

WHICH LINER SHOULD I USE?



FEATURE	Dyneema®/HPPE	Kevlar®
Cut Resistant	✓	✓
Strength vs. Steel	15x	5x
Lightweight	✓	
Bleachable	✓	
Heat Resistant		✓


1-800-295-5510 uline.com

WHAT COATING DO I NEED?




COATING	Polyurethane	Nitrile	Latex
Benefits	Flexible for dexterity and comfort	Puncture/abrasion resistant and grips when wet	Thick textured coating for best overall grip
Applications	General purpose	Oily and wet surfaces	Dry, rough surfaces











WHAT GAUGE DO I NEED?



WHAT ABRASION LEVEL DO I NEED?





1-800-295-5510 uline.com

DESCRIPTION	ANSI Cut Level	ANSI Abrasion Level	Cut Resistant Material	Palm Coating	Gauge	Touch Screen Compatible
 S-14249 Uline Dyneema®	A2	5	Dyneema®	Polyurethane	13	✓
 S-20703 Uline Durarmor™	A2	4	HPPE	Polyurethane	13	✓
 S-21574 Uline Durarmor™ Stealth	A2	6	HPPE	Polyurethane	15	✓
 S-23342 Uline Durarmor™ Grip	A2	2	HPPE	Latex	13	✓
 S-25662 Uline Durarmor™ Flex	A3	4	HPPE Blend	Nitrile	18	✓
 S-24007 Uline Diamond Flex	A3	5	Dyneema® Diamond	Polyurethane	18	✓
 S-23323 Uline Diamond	A3	6	Dyneema® Diamond	Nitrile	15	✓
 S-24006 Uline Diamond Elite	A4	6	Dyneema® Diamond	Nitrile	15	✓
 S-22779 Uline Durarmor™ Elite	A4	4	HPPE Blend	Nitrile	13	✓
 S-25682 Uline Durarmor™ Elite Prime	A5	5	HPPE Blend	Nitrile	18	✓
 S-22780 Uline Durarmor™ Elite Plus	A6	5	HPPE Blend	Nitrile	13	✓
 S-24003 Uline Durarmor™ Max	A8	4	HPPE Blend	Nitrile	13	✓
 S-23343 Uline Gription® Cut Lime or Black	A3	6	HPPE Blend	Synthetic Leather, Silicone	N/A	✓

1-800-295-5510 uline.com

DESCRIPTION	ANSI Cut Level	ANSI Abrasion Level	Cut Resistant Material	Palm Coating	Gauge	Touch Screen Compatible
 S-25680 Uline Heavy Duty Gription® Cut	A5	4	HPPE	Synthetic Leather, Silicone	N/A	✓
 S-25684 Uline Impact Cut	A3	4	HPPE Blend	Synthetic Leather	N/A	✓
 S-25686 Uline Goatskin Cut	A5	4	HPPE Blend	Uncoated	N/A	
 S-19884 Uline Super Gription® Thermal	A2	3	Acrylic	Latex	10	
 S-19885 Uline Super Gription® Hi-Vis Thermal	A2	3	Acrylic	Latex	10	
 S-22778 Uline Super Gription® Thermal Shield	A2	6	Acrylic	Nitrile	13	✓
 S-25681 Uline Frost Thermal	A2	4	Acrylic	Latex	13	
 S-24002 Uline Durarmor™ Ice Thermal Lime or Black	A4	4	HPPE Blend	Nitrile	13	✓
 S-19705 Ansell® HyFlex® 11-518	A2	3	Dyneema® Diamond	Polyurethane	18	
 S-19711 Ansell® HyFlex® 11-644	A2	5	HPPE	Polyurethane	13	
 S-25233 Ansell® HyFlex® 11-318	A2	2	Dyneema® Diamond	Uncoated	18	✓
 S-22150 MaxiFlex® 34-8743	A2	3	HPPE Blend	Nitrile	15	✓
 S-24024 MaxiFlex® 34-8443	A2	4	HPPE Blend	Nitrile	15	✓

1-800-295-5510 uline.com

DESCRIPTION	ANSI Cut Level	ANSI Abrasion Level	Cut Resistant Material	Palm Coating	Gauge	Touch Screen Compatible
 S-23911 MaxiCut® Ultra™ 44-3745	A3	3	HPPE Blend	Nitrile	15	✓
 S-14320 Ninja® Max	A3	5	Dyneema® Blend	Polyurethane, Nitrile	10	✓
 S-20768 Ironclad® Kong Knit	A3	4	HPPE Blend	Nitrile	13	✓
 S-19248 Ansell® HyFlex® 74-048	A6	3	Dyneema® Blend	Uncoated	10	
 S-7893 Industrial Knit Kevlar®	A3	2	Kevlar®	Uncoated	7	
 S-9867 Uline Rubber Coated Kevlar®	A2	3	Kevlar®	Latex	10	
 S-16858 Uline Foam Nitrile Coated Kevlar®	A2	6	Kevlar®	Nitrile	13	
 S-9866 PVC Dot Knit	A3	2	Kevlar®	PVC Dots	7	
 S-15331 Uline Super Gription® Kevlar®	A3	4	Kevlar®	Latex	10	
 S-25683 Uline Super Gription® Coated Kevlar® Fit	A4	5	Kevlar® Blend	Nitrile	18	✓
 S-19706 Ansell® HyFlex® Heavy Duty 11-501	A5	3	Kevlar® Blend	Nitrile	13	✓
 S-19707 Ansell® HyFlex® 11-511	A5	4	Kevlar® Blend	Nitrile	13	
 S-22765 HexArmor® 9011	A7	6	SuperFabric®	Latex	10	

1-800-295-5510 uline.com

DESCRIPTION	ANSI Cut Level	ANSI Abrasion Level	Cut Resistant Material	Palm Coating	Gauge	Touch Screen Compatible
 <p>S-22766 HexArmor® 9014</p>	A9	6	SuperFabric®	Latex	10	
 <p>S-19713 Ansell® Winter Monkey Grip®</p>	A2	4	Jersey	PVC	N/A	
 <p>S-19708 Ansell® ActivArm® 42-474</p>	A2	N/A	Jersey	Nitrile	N/A	
 <p>S-18009 Steel Mesh</p>	N/A*	N/A*	Steel	Uncoated	N/A	
 <p>S-22781 Uline HPPE A2 Sleeve Black or Gray</p>	A2	4	HPPE	Uncoated	13	
 <p>S-23996 Uline HPPE A4 Sleeve</p>	A4	4	HPPE Blend	Uncoated	13	
 <p>S-21087 Ansell® HyFlex® 11-211 Sleeve</p>	A2	4	HPPE	Uncoated	13	
 <p>S-11432 Kevlar® Sleeve with Thumbhole</p>	A3	2	Kevlar®	Uncoated	7	
 <p>S-21086 Kevlar® Sleeve without Thumbhole</p>	A3	2	Kevlar®	Uncoated	7	

*Not ANSI tested for cut resistance