ULINE

DRUM PUMP AND FAUCET GUIDE

MANUAL DRUM PUMPS

COMPATIBILITY	 H-2634 Economy Plastic Pail/Drum Pump	 H-1553 Plastic Drum Pump	 S-17128 Siphon Drum Pump	 H-3864 Stainless Steel Drum Pump	 H-1235 Steel Drum Pump	 H-9773 Lever Action Drum Pump – Plastic	 H-9774 Lever Action Drum Pump – Stainless Steel
Acetone		✓	✓	✓			✓
Ethanol	✓	✓	✓	✓		✓	✓
Ethylene Glycol	✓	✓	✓	✓			✓
Detergents	✓	✓	✓	✓	✓	✓	✓
Diesel				✓	✓	✓	✓
Diesel Exhaust Fluid (DEF)	✓		✓	✓			✓
Gasoline				✓			✓
Glycerin		✓		✓	✓		✓
Hand Sanitizer	✓	✓	✓	✓			✓
Hydraulic Oil				✓			✓
Hydrogen Peroxide	✓	✓		✓	✓	✓	✓
Isopropyl Alcohol		✓	✓	✓	✓	✓	✓
Kerosene				✓	✓	✓	✓
Lacquer Thinner				✓			✓
Methanol	✓	✓	✓	✓	✓		✓
Methyl Chloride				✓			✓
Methyl Ethyl Ketone (MEK)				✓			✓
Mineral Spirits				✓			✓
Motor Oil	✓	✓		✓	✓	✓	✓
Nitric Acid (20%)	✓	✓	✓	✓			✓
Nitric Acid (50%)	✓	✓		✓			✓
Nitric Acid (100%)				✓			✓
Paint	✓	✓		✓			✓
Phosphoric Acid (<40%)	✓	✓	✓				
Sodium Hydroxide (50%)				✓			✓
Sodium Hydroxide (80%)				✓			✓
Sodium Hypochlorite (Bleach) (100%)	✓	✓	✓				
Toluene				✓			✓
Water	✓	✓	✓	✓		✓	✓
Waxes	✓	✓		✓	✓	✓	✓
Xylene		✓		✓			✓

©2026 Uline

ROTARY DRUM PUMPS

COMPATIBILITY	 H-4377 Plastic Rotary Drum Pump	 H-5647 Stainless Steel Rotary Drum Pump	 H-6502 FM Approved Rotary Drum Pump
Acetone		✓	
Ethanol	✓	✓	
Ethylene Glycol		✓	✓
Detergents	✓	✓	
Diesel	✓	✓	✓
Diesel Exhaust Fluid (DEF)		✓	
Gasoline		✓	✓
Glycerin			
Hand Sanitizer		✓	
Hydraulic Oil		✓	
Hydrogen Peroxide	✓	✓	
Isopropyl Alcohol	✓	✓	
Kerosene	✓	✓	✓
Lacquer Thinner		✓	
Methanol		✓	
Methyl Chloride		✓	
Methyl Ethyl Ketone (MEK)		✓	
Mineral Spirits		✓	
Motor Oil	✓	✓	✓
Nitric Acid (20%)		✓	
Nitric Acid (50%)		✓	
Nitric Acid (100%)		✓	
Paint		✓	
Phosphoric Acid (<40%)	✓	✓	
Sodium Hydroxide (50%)	✓	✓	
Sodium Hydroxide (80%)	✓	✓	
Sodium Hypochlorite (Bleach) (100%)			
Toluene		✓	
Water	✓	✓	
Waxes	✓	✓	
Xylene		✓	

©2026 Uline

ELECTRIC DRUM PUMPS

COMPATIBILITY	 H-4933-C Standard Electric Drum Pump	 H-6501C High Viscosity Electric Drum Pump	 H-7193 Fuel Transfer Pump
Acetone			
Ethanol			
Ethylene Glycol	✔		
Detergents	✔	✔	
Diesel			✔
Diesel Exhaust Fluid (DEF)	✔	✔	
Gasoline			✔
Glycerin		✔	
Hand Sanitizer			
Hydraulic Oil	✔	✔	
Hydrogen Peroxide	✔	✔	
Isopropyl Alcohol			
Kerosene		✔	✔
Lacquer Thinner			
Methanol			
Methyl Chloride			
Methyl Ethyl Ketone (MEK)			
Mineral Spirits			
Motor Oil	✔	✔	
Nitric Acid (20%)			
Nitric Acid (50%)			
Nitric Acid (100%)			
Paint		✔	
Phosphoric Acid (<40%)			
Sodium Hydroxide (50%)	✔	✔	
Sodium Hydroxide (80%)			
Sodium Hypochlorite (Bleach) (100%)			
Toluene			
Water	✔	✔	
Waxes	✔	✔	
Xylene			

©2026 Uline

FAUCETS

COMPATIBILITY	 H-2955 Plastic Drum Faucet 3/4" Opening	 H-2956 Plastic Drum Faucet 2" Opening	 H-4934 Brass Drum Faucet 3/4" Opening	 H-4935 Brass Gate Valve 2" Opening	 H-7195 Drum Gauge with Faucet
Acetone			✓	✓	✓
Ethanol	✓	✓	✓	✓	✓
Ethylene Glycol	✓	✓	✓	✓	✓
Detergents	✓	✓			
Diesel			✓	✓	✓
Diesel Exhaust Fluid (DEF)					
Gasoline					
Glycerin	✓	✓			
Hand Sanitizer	✓	✓			
Hydraulic Oil			✓	✓	✓
Hydrogen Peroxide					
Isopropyl Alcohol	✓	✓			
Kerosene			✓	✓	✓
Lacquer Thinner	✓		✓	✓	✓
Methanol	✓	✓	✓	✓	✓
Methyl Chloride			✓	✓	✓
Methyl Ethyl Ketone (MEK)	✓	✓	✓	✓	✓
Mineral Spirits	✓				
Motor Oil	✓	✓	✓	✓	✓
Nitric Acid (20%)	✓	✓			
Nitric Acid (50%)	✓	✓			
Nitric Acid (100%)					
Paint	✓	✓	✓	✓	✓
Phosphoric Acid (<40%)	✓	✓			
Sodium Hydroxide (50%)					
Sodium Hydroxide (80%)					
Sodium Hypochlorite (Bleach) (100%)	✓	✓			
Toluene			✓	✓	✓
Water	✓	✓	✓	✓	✓
Waxes	✓	✓	✓	✓	✓
Xylene	✓	✓	✓	✓	✓

©2026 Uline