



ULINE H-6136, H-8165
 H-11852

1-800-295-5510
 uline.com

**SOLID TOP
 RACKABLE PALLET**





PRODUCT DIMENSIONS



SPECIFICATIONS

MODEL #	DIMENSIONS		HEIGHT			TRAILER QUANTITY		WEIGHT CAPACITY			WEIGHT
	L	W	FORK	OVERALL	NESTING	48'	53'	FLOOR	FORK	RACK	
H-6136	48"	40"	3.75"	6.1"	N/A	504	540	30,000 lbs.	5,000 lbs.	2,800 lbs.	55 lbs.
H-8165								14,000 lbs.	4,400 lbs.	2,200 lbs.	44 lbs.
H-11852								14,000 lbs.	4,400 lbs.	2,000 lbs.	44 lbs.


ULINEH-6136, H-8165
H-11852**TARIMA DE SUPERFICIE
SÓLIDA PARA RACKS**800-295-5510
uline.mx**DIMENSIONES DEL PRODUCTO****ESPECIFICACIONES**

MODELO NO.	DIMENSIONES		ALTO			CANTIDAD EN TRÁILER		CAPACIDAD DE PESO			PESO
	LARGO	ANCHO	HORQUILLA	TOTAL	EMBONABLE	14.6 m (48')	16.15 m (53')	PISO	HORQUILLA	RACK	
H-6136	122 cm (48")	102 cm (40")	9.5 cm (3.75")	15.5 cm (6.1")	N/A	504	540	13,608 kg (30,000 lbs.)	2,268 kg (5,000 lbs.)	1,270.1 kg (2,800 lbs.)	25 kg (55 lbs.)
H-8165								6,350 kg (14,000 lbs.)	1,996 kg (4,400 lbs.)	998 kg (2,200 lbs.)	20 kg (44 lbs.)
H-11852								6,350 kg (14,000 lbs.)	1,996 kg (4,400 lbs.)	907 kg (2,000 lbs.)	20 kg (44 lbs.)


ULINE H-6136, H-8165
H-11852

**PALETTE EMPILABLE
AVEC PLATEAU SOLIDE**

1 800 295-5510
uline.ca



DIMENSIONS DU PRODUIT



SPÉCIFICATIONS

N° DE MODÈLE	DIMENSIONS		HAUTEUR			QUANTITÉ PAR REMORQUE		CAPACITÉ PONDÉRALE			POIDS
	LONG.	LARG.	FOURCHE	TOTALE	EMBOÎTEMENT	14,6 m (48 pi)	16,15 m (53 pi)	PLANCHER	FOURCHE	SUR ÉTAGÈRE	
H-6136	122 cm (48 po)	102 cm (40 po)	9,5 cm (3,75 po)	15,5 cm (6,1 po)	N/A	504	540	13 608 kg (30 000 lb)	2 268 kg (5 000 lb)	1 270,1 kg (2 800 lb)	25 kg (55 lb)
H-8165								6 350 kg (14 000 lb)	1 996 kg (4 400 lb)	998 kg (2 200 lb)	20 kg (44 lb)
H-11852								6 350 kg (14 000 lb)	1 996 kg (4 400 lb)	907 kg (2 000 lb)	20 kg (44 lb)