according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 5.0 Print Date 03/21/2016

Revision Date 03/21/2016 MSDS Number 350000004807

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Trade name : OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO.

24723 P.C.P. ACT)

Use of the

Substance/Mixture

Insect Repellent

Company : S.C. Johnson and Son, Limited

1 Webster Street

Brantford ON N3T 5R1

Emergency telephone

number

24 Hour Transport & Medical Emergency Phone (866) 231-

5406

24 Hour International Emergency Phone (952) 852-4647 24 Hour Canadian Transport Emergency Phone (CANUTEC)

(613) 996-6666

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance / Odor : clear / aerosol / Alcohol Odor

Immediate Concerns : Warning

FLAMMABLE:

CAUSES EYE IRRITATION.

Keep away from heat, sparks and flame.

Harmful if swallowed. Contents under pressure. Do not puncture or incinerate.

Do not store at temperatures above 120 Deg. F (50 Deg C), as

container may burst.

Avoid contact with eyes and lips.

Potential Health Effects

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : Causes:

Moderate eye irritation

Skin : May cause skin reactions in rare cases.

Prolonged or repeated contact may dry skin and cause irritation.

Inhalation : May cause nose, throat, and lung irritation.

Inhalation may cause central nervous system effects.

1/10

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 5.0 Print Date 03/21/2016

Revision Date 03/21/2016 MSDS Number 350000004807

Ingestion : May cause irritation to mouth, throat and stomach.

May cause abdominal discomfort.

Causes headache, drowsiness or other effects to the central

nervous system. Harmful if swallowed.

Aggravated Medical

Condition

Do not apply to cuts or irritated skin.

Persons with pre-existing skin disorders may be more

susceptible to irritating effects.

Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible

to irritating effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	30.00 - 60.00
N,N-Diethyl-m-toluamide	134-62-3	10.00 - 30.00
Butane	106-97-8	1.00 - 5.00
Propane	74-98-6	1.00 - 5.00
Isobutane	75-28-5	1.00 - 5.00

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : Remove contact lenses. Flush immediately with plenty of water

for at least 15 to 20 minutes. Get medical attention if irritation

develops and persists.

Skin contact : Rinse with plenty of water. Wash off immediately with plenty of

water. Get medical attention if irritation develops and persists. If you suspect a reaction to this product, discontinue use and

remove contaminated clothing.

Inhalation : Remove to fresh air. If breathing is affected, get medical

attention.

Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so

by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 5.0 Print Date 03/21/2016

Revision Date 03/21/2016 MSDS Number 350000004807

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Aerosol Product - Containers may rocket or explode in heat of

fire. Do not allow run-off from fire fighting to enter drains or

water courses. Burns with colourless flame.

Further information : Fight fire from maximum distance or protected area. Cool and

use caution when approaching or handling fire-exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe

fumes.

Flash point : -7 °C

19.4 °F

Lower explosion limit : Note: No data available

Upper explosion limit : Note: No data available

NFPA Classification : NFPA Level 2 Aerosol

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.

Wear personal protective equipment.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Use appropriate containment to avoid environmental

contamination.

Outside of normal use, avoid release to the environment.

Methods for cleaning up : If damage occurs to aerosol can:

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13). Use only non-sparking equipment.

Dike large spills.

Clean residue from spill site.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 5.0 Print Date 03/21/2016

Revision Date 03/21/2016 MSDS Number 350000004807

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Do not puncture or incinerate.

Avoid contact with eyes and lips. Avoid breathing vapours, mist or gas. For personal protection see section 8.

Do not spray toward face.

Do not use in areas without adequate ventilation.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS. Smoking, eating and drinking should be prohibited in the

application area.

Note: Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. For more

information visit www.inhalant.org.

Advice on protection against fire and explosion

: Keep away from heat and sources of ignition.

Take measures to prevent the build up of electrostatic charge.

Storage

Requirements for storage areas and containers

: Do not store at temperatures above 120 Deg. F (50 Deg C), as

container may burst.

Keep away from food, drink and animal feedingstuffs.

Keep in a dry, cool and well-ventilated place.

Storage Stability : Stable under recommended storage conditions.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 5.0 Print Date 03/21/2016

Revision Date 03/21/2016 MSDS Number 350000004807

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Ethyl alcohol	64-17-5	-	1,000 ppm	1	ACGIH STEL
Butane	106-97-8	-	1,000 ppm	-	ACGIH STEL
Propane	74-98-6	-	-	-	ACGIH TWA
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Ethyl alcohol	64-17-5	-	1,000 ppm		ACGIH STEL
Butane	106-97-8	-	1,000 ppm	-	ACGIH STEL
Propane	74-98-6	-	-	-	ACGIH TWA
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL

Personal protective equipment

Respiratory protection Use only with adequate ventilation.

Do not spray in enclosed areas.

Hand protection : No special requirements.

Eye protection If prolonged or repeated contact is possible:

Safety glasses with side-shields

Skin and body protection : No special requirements.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 5.0 Print Date 03/21/2016

Revision Date 03/21/2016 MSDS Number 350000004807

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol

Color : clear

Odor : Alcohol Odor

pH : No data available

Boiling point : No data available

Freezing point : No data available

Flash point : -7 °C

19.4 °F

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Auto-ignition temperature : No data available

Lower explosion limit : No data available

Upper explosion limit : No data available

Vapour pressure : No data available

Density : 0.84 g/ml

at 21 °C

Water solubility : slightly soluble

Partition coefficient: n-

octanol/water No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Relative vapour density : No data available

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 5.0 Print Date 03/21/2016

Revision Date 03/21/2016 MSDS Number 350000004807

Volatile Organic Compounds :

Total VOC (wt. %)*

64.2 % - additional exemptions may apply

*as defined by US Federal and State Consumer Product

Regulations

10. STABILITY AND REACTIVITY

Conditions to avoid : Heat, flames and sparks.

Materials to avoid : Strong oxidizing agents

Hazardous decomposition

products

Thermal decomposition can lead to release of irritating gases

and vapours.

Thermal decomposition : Note: No data available

Hazardous reactions : Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50

Measured 3,735 mg/kg

Acute inhalation toxicity : LC50

Measured > 2.18 mg/l

Acute dermal toxicity : LD50

Measured > 2,000 mg/kg

Chronic effects

Carcinogenicity : No data available

Mutagenicity : None Anticipated

Reproductive effects : No data available

Teratogenicity : No data available

7/10

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 5.0 Print Date 03/21/2016

Revision Date 03/21/2016 MSDS Number 350000004807

Sensitisation : Substances is not a sensitizer.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects : No data available

13. DISPOSAL CONSIDERATIONS

PESTICIDAL WASTE:

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding

disposal.

RCRA waste class : D001 (Ignitable Waste)

14. TRANSPORT INFORMATION

Land transport

U.S. DOT and Canadian TDG Surface Transportation:

Proper shipping name AEROSOLS, Flammable

Class: 2.1
UN number 1950
Packaging group: None.

Note: Limited quantities derogation may be applicable to this product,

please check transport documents.

Sea transport

IMDG:

Proper shipping name AEROSOLS, Flammable

Class: 2
UN number: 1950
Packaging group: None.
EmS: F-D, S-U

Note: Limited quantities derogation may be applicable to this product,

please check transport documents.

Air transport

ICAO/IATA:

Proper shipping name AEROSOLS, Flammable

Class: 2.1

8/10

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 5.0 Print Date 03/21/2016

Revision Date 03/21/2016 MSDS Number 350000004807

UN/ID No.: UN 1950 Packaging group: None.

Note: SC Johnson typically does not ship products via air. Refer to

IATA/ICAO Dangerous Goods Regulations for detailed instructions

when shipping this item by air.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

Canada Regulations : This product has been classified in accordance with hazard

criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products

Regulations.

16. OTHER INFORMATION

HMIS Ratings

inino itatingo	
Health	2
Flammability	4
Reactivity	0

NFPA Ratings

iti i A italiliyə		
Health	2	
Fire	4	
Reactivity	0	
Special	-	

This information is being provided in accordance with Occupational Safety and Health Administration (OSHA) and Canada's Workplace Hazard Material Information System (WHMIS) regulations. The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 5.0 Print Date 03/21/2016

Revision Date 03/21/2016 MSDS Number 350000004807

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
-	Regulatory Affairs (GSARA)