



**ULINE** H-12536, H-12537  
**HAND CHAIN HOIST**

1-800-295-5510  
 uline.com

**SPECIFICATIONS**




MODEL #	CAPACITY	LIFT	WEIGHT	HEADROOM	DIMENSIONS				
					A	B	C	D	K
H-12536	1/2 Ton	10'	22 lbs.	11"	5.41"	5.39"	10.63"	1.38"	1.10"
H-12537	1 Ton	10'	26 lbs.	13"	5.77"	6.38"	12.48"	1.40"	1.00"

**POLIPASTO MANUAL  
DE CADENA****ESPECIFICACIONES**

NO. DE MODELO	CAPACIDAD	ELEVACIÓN	PESO	ALTURA LIBRE	DIMENSIONES				
					A	B	C	D	K
H-12536	454 kg (1/2 Tonelada)	3 m (10')	10 kg (22 lbs.)	28 cm (11")	13.74 cm (5.41")	13.69 cm (5.39")	27.00 cm (10.63")	3.51 cm (1.38")	2.79 cm (1.10")
H-12537	907 kg (1 Tonelada)	3 m (10')	12 kg (26 lbs.)	33 cm (13")	14.66 cm (5.77")	16.21 cm (6.38")	31.70 cm (12.48")	3.56 cm (1.40")	2.54 cm (1.00")

**SPÉCIFICATIONS**



N° DE MODÈLE	CAPACITÉ	ÉLÉVATION	POIDS	HAUTEUR LIBRE	DIMENSIONS				
					A	B	C	D	K
H-12536	454 kg (1/2 tonne)	3 m (10 pi)	10 kg (22 lbs)	28 cm (11 po)	13,74 cm (5,41 po)	13,69 cm (5,39 po)	27,00 cm (10,63 po)	3,51 cm (1,38 po)	2,79 cm (1,10 po)
H-12537	907 kg (1 tonne)	3 m (10 pi)	12 kg (26 lbs)	33 cm (13 po)	14,66 cm (5,77 po)	16,21 cm (6,38 po)	31,70 cm (12,48 po)	3,56 cm (1,40 po)	2,54 cm (1,00 po)