



Standard Wood Crates

All wood materials used in the construction of this packaging meet ISPM 15 regulations:

- All solid wood has been heat treated to a core temperature of 132°F (56°C) for a minimum of 30 minutes.
- All wooden plywood panel components are considered an engineered material exempt from regulation, according to ISPM 15.

Please contact Uline Customer Service at 1-800-295-5510 with any additional questions.



1-800-295-5510
uline.com



Cajas de Madera Estándar

La madera que se utilizó en su fabricación cumple con las regulaciones NIMF 15:

- La madera sólida recibió un tratamiento térmico de 56°C (132°F) por un mínimo de 30 minutos.
- Los componentes del panel de madera de triplay son considerados materiales procesados exentos, de acuerdo a las regulaciones NIMF 15.

Si tiene alguna pregunta, comuníquese con Servicio a Clientes de Uline al 800-295-5510.



800-295-5510
uline.mx

ULINE

Caisses en bois standard

Tous les matériaux en bois utilisés dans la construction de cet emballage sont conformes aux exigences de la NIMP 15 :

- Tout le bois massif a été traité à la chaleur jusqu'à une température interne de 56 °C (132 °F) pour un minimum de 30 minutes.
- Tous les composants des panneaux de contreplaqué sont considérés comme des matériaux d'ingénierie exemptés des exigences de la NIMP 15.

Veuillez contacter le service à la clientèle de Uline au 1 800 295-5510 pour toute question supplémentaire.



ULINE

1-800-295-5510
uline.ca