



Report No.: TDT250113027EN

Date: Jan. 14, 2025

Page 1 of 7

Material Safety Data Sheet (MSDS)

Samples Name: Lead-acid battery

Model No.: 6-FM-4,6-FM-5,6-FM-5L,6-FM-6,5,6-FM-7,6-FM-7A,6-FM-7B,6-FM-7D,6-FM-7L,6-FM-7L(II),6-FM-9,HW-9-12,6-FM-9A,6-FM-9L,6-FM-10,6-FM-12,6-FM-14,6-FM-17,6-FM-18,6-FM-20,6-FM-21,6-FM-28,6-FM-36,6-FM-38,6-FM-45,YB18,YB28,YB32.

Client Name: Chongqing Chuangxiang Power Source Co., Ltd.

Client Address: 8# Jinshan Road, Dongcheng Street Office, Tongliang District,Chongqing,China.

Signed for and on Behalf of TDT




Li.zhang / Technical Manager
Shenzhen TDT Technology Co., Ltd.

This report is written based on the existing information known to our company, and the samples or ingredients used are provided or confirmed by the applicant. This report is a safety manual for the product before use and is not equivalent to a product performance guarantee. As this information may be used beyond our control, we do not assume any responsibility for the results of its use. Users are responsible for complying with applicable laws and regulations.

Shenzhen TDT Technology Co., Ltd.

2/F, Building C, Hongwan Commercial Center, Bao'an Road, Xixiang, Bao'an, Shenzhen
Tel: +86(0)755-26654605 E-mail: service@tdt-lab.com <http://www.tdt-lab.com>



Report No.: TDT250113027EN

Date: Jan. 14, 2025

Page 2 of 7

Material Safety Data Sheet

Section 1 - Chemical Product and Company Identification

Product Name: Lead-acid battery

Nominal Voltage: 12V

Manufacturer: Chongqing Chuangxiang Power Source Co., Ltd.

Address: 8# Jinshan Road, Dongcheng Street Office, Tongliang District, Chongqing, China.

Contact person: \

Tel: \

Email: peter. \

Uses: \

Section 2 - Hazards Identification

Hazard Description: The product is a battery. Not dangerous with normal use. Do not dismantle, open or shred the battery ingredients contained within or their ingredients products could be harmful.

Primary Route(S) of Exposure: Eye, Skin contact, Inhalation, Ingestion.

Health hazards: Skin contact: May cause skin irritation.

Eye contact: May cause eye irritation.

Inhalation: Vapors or mists from a ruptured battery may cause respiratory irritation.

Ingestion: May cause body discomfort.

Section 3 - Composition/Information on Ingredient

Pure Admixture

Composition:

Chemical Name	Weight (%)	CAS No.
Lead	36	7439-92-1
ABS	8	9003-56-9
Sulfuric acid	20	7664-93-9
Lead peroxide	30	1309-60-0
Copper	1	7440-50-8
Glass fiber	4	65997-17-3
Bicyclo[2.2.1]hept-2-ene, 5-ethylidene-, polymer with ethene and 1-propene	1	32069-93-5

Note: CAS No.: Chemical Abstract Service Registry Number.

This report is written based on the existing information known to our company, and the samples or ingredients used are provided or confirmed by the applicant. This report is a safety manual for the product before use and is not equivalent to a product performance guarantee. As this information may be used beyond our control, we do not assume any responsibility for the results of its use. Users are responsible for complying with applicable laws and regulations.

Shenzhen TDT Technology Co., Ltd.

2/F, Building C, Hongwan Commercial Center, Bao'an Road, Xixiang, Bao'an, Shenzhen
Tel: +86(0)755-26654605 E-mail: service@tdt-lab.com <http://www.tdt-lab.com>



Section 4 - First Aid Measures

Skin contact: Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid.

Eyes contact: Immediately flush with plenty of water for at least 15 minutes and seek medical attention.

Inhalation: Remove from exposure and move to fresh air immediately. Use oxygen if available.

Ingestion: Ingesting damaged batteries, do not induce vomiting or give food or drink. Seek medical attention immediately.

Section 5 - Fire Fighting Measures

Characteristic of Hazard: Toxic fumes, gases or vapors may evolve on burning.

Hazardous combustion products: Carbon monoxide, carbon dioxide, lithium oxide fumes.

Fire-Fighting method: Extinguish the fire with water, dry powder or carbon dioxide. The firemen should put on antigas masks and full fire-fighting suits.

Section 6 –Accidental Release Measures

Personnel protection measures, protective equipment and emergency disposal procedures: Restrict access to area until completion of clean-up. Do not touch the spilled material. Wear adequate personal protective equipment as indicated in Section 8.

Environmental precautions: Prevent product from contaminating soil and from entering sewers or waterways.

Methods and materials for Containment: Stop the leak if safe to do so. Contain the spilled liquid with dry sand or earth. Clean up spills immediately.

Methods and materials for cleaning up: Absorb spilled material with an inert absorbent (dry sand or earth). Scoop contaminated absorbent into an acceptable waste container. Collect all contaminated absorbent and dispose of according to directions in Section 13. Scrub the area with detergent and water collect all contaminated wash water for proper disposal.

This report is written based on the existing information known to our company, and the samples or ingredients used are provided or confirmed by the applicant. This report is a safety manual for the product before use and is not equivalent to a product performance guarantee. As this information may be used beyond our control, we do not assume any responsibility for the results of its use. Users are responsible for complying with applicable laws and regulations.



Report No.: TDT250113027EN

Date: Jan. 14, 2025

Page 4 of 7

Section 7 - Handling and Storage

Handling: The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Storage: If the battery is subject to storage for such a long term as more than 3 months, it is recommended to recharge the battery periodically.

Long period storage: $-10^{\circ}\text{C} \sim 35^{\circ}\text{C}$, $60 \pm 25\% \text{R.H.}$

Do not store the battery haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects. Keep out of reach of children. Do not expose the battery to heat or fire. Avoid storage in direct sunlight. Do not store together with oxidizing and acidic materials.

Section 8 - Exposure Controls and Personal Protection

Engineering Controls: No engineering controls are required for handling batteries that have not been damaged. Personal protective equipments for damaged batteries should include chemical resistant gloves and safety glasses. Use adequate ventilation to keep airborne concentrations low.

Personal Protective Equipment: Eye and Face Protection: Not necessary under conditions of normal use. If there is a Hazard of contact, tight sealing safety goggles. Face protection shield.

Skin and Body Protection: Not necessary under conditions of normal use. If there is a Hazard of contact, wear protective gloves and protective clothing.

Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Section 9 - Physical and Chemical Properties

Physical State: Solid.

Color: No data.

Odour: Under normal circumstances is odorless; if leaking, smells of medical ether.

Solubility: Insoluble in water.

This report is written based on the existing information known to our company, and the samples or ingredients used are provided or confirmed by the applicant. This report is a safety manual for the product before use and is not equivalent to a product performance guarantee. As this information may be used beyond our control, we do not assume any responsibility for the results of its use. Users are responsible for complying with applicable laws and regulations.



Report No.: TDT250113027EN

Date: Jan. 14, 2025

Page 5 of 7

Section 10 - Stability and Reactivity

Stability: Stable under normal temperature and pressure.

Incompatible materials: Oxidising agents, alkalis, water.

Conditions to Avoid: Heat above 70°C or Incinerate, Deform, Mutilate, Crush, Disassemble, Overcharge, Short circuit, Expose over a long period to humid conditions.

Hazardous polymerization: Will not occur.

Hazardous Decomposition Products: Toxic Fumes, and may form peroxides.

Section 11 - Toxicological Information

Irritation: In the event of exposure to internal contents, vapour fumes may be very irritating to the eyes and skin.

Acute Toxicity: No known significant effects or critical hazards.

Sub-acute and Chronic Toxicity: No known significant effects or critical hazards.

Sensitization: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Carcinogenicity: No known significant effects or critical hazards.

Section 12 - Ecological Information

General note: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Anticipated behavior of a chemical product in environment/possible environmental impact/ecotoxicity: No date is available.

Section 13 - Disposal Considerations

Waste Treatment: Dispose in accordance with national and local regulations.

Attention for Waste Treatment: Deserted batteries shouldn't be treated as ordinary trash. Shouldn't be thrown into fire or placed in high temperature. Shouldn't be dissected, pierced, crushed or treated similarly. Best disposal method is recycling.

This report is written based on the existing information known to our company, and the samples or ingredients used are provided or confirmed by the applicant. This report is a safety manual for the product before use and is not equivalent to a product performance guarantee. As this information may be used beyond our control, we do not assume any responsibility for the results of its use. Users are responsible for complying with applicable laws and regulations.



Report No.: TDT250113027EN

Date: Jan. 14, 2025

Page 6 of 7

Section 14 - Transport Information

UN Classification: Class 8.

UN Number: UN2800.

UN Proper shipping name/Description(technical name): BATTERIES,WET,NONSPILLABLE,electric storage.

Packaging Mark: No data.

Packaging Method: No data.

Type of Transportation:No data.

Transport Attentions: Please select appropriate transportation mode and corresponding transportation and storage conditions according to the nature of the chemicals, and keep away from fire and heat sources. The means of transport shall be equipped with fire-proof materials and fire-extinguishing equipment of corresponding types and quantities.

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

IATA: Packaging need to be complied with the requirements of Packing Instruction 872 of special provision A67 of IATA DGR 66th (2025 Edition) Manual.

IMDG CODE: The batteries are not restricted to IMDG Code 2022 Edition(Amdt41-22) according to special provision 238.

ADR : Autorisation Dangerous Road(ADR 2019 Volume I).

Section 15 - Regulatory Information

Contents and project sequence of ISO 11014-2009 chemical safety data sheet.

Regulation (EC) no 1272/2008 on the classification, labelling and packaging of substances and mixtures.

Dangerous Goods Regulations

Recommendations on the Transport of Dangerous Goods-Model Regulations

Recommendations on the Transport of Dangerous Goods-Manual of Tests and Criteria

International Air Transport Association(IATA) DGR, 66th(2025 Edition)

International Maritime Dangerous Goods(IMDG)

Technical Instructions for the Safe Transport of Dangerous Goods

Toxic Substance Control Act(TSCA)

Code of Federal Regulations

In accordance with all FederalState and local laws

This report is written based on the existing information known to our company, and the samples or ingredients used are provided or confirmed by the applicant. This report is a safety manual for the product before use and is not equivalent to a product performance guarantee. As this information may be used beyond our control, we do not assume any responsibility for the results of its use. Users are responsible for complying with applicable laws and regulations.

Shenzhen TDT Technology Co., Ltd.

2/F, Building C, Hongwan Commercial Center, Bao'an Road, Xixiang, Bao'an, Shenzhen
Tel: +86(0)755-26654605 E-mail: service@tdt-lab.com <http://www.tdt-lab.com>



Report No.: TDT250113027EN

Date: Jan. 14, 2025

Page 7 of 7

Section 16 - Other Information

The above information is based on the data we have learned, but due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume any responsibility for loss, damage or expenses arising from the handling, storage, use, disposal or any related operations of this product.

End of Report

This report is written based on the existing information known to our company, and the samples or ingredients used are provided or confirmed by the applicant. This report is a safety manual for the product before use and is not equivalent to a product performance guarantee. As this information may be used beyond our control, we do not assume any responsibility for the results of its use. Users are responsible for complying with applicable laws and regulations.

Shenzhen TDT Technology Co., Ltd.

2/F, Building C, Hongwan Commercial Center, Bao'an Road, Xixiang, Bao'an, Shenzhen
Tel: +86(0)755-26654605 E-mail: service@tdt-lab.com <http://www.tdt-lab.com>