

SAFETY DATA SHEET

Issuing Date 09-Mar-2016

Revision Date 09-Aug-2018

Revision Number 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Code(s)

K-BK1

Product Name

K Series Black Stencil Ink

Component

Other means of identification

Other Information

This Safety Data Sheet complies with the requirements of the OSHA Hazard Communication Standard 2012 Final Rule. This product is intended for use by properly trained and qualified professionals after having familiarized themselves with this SDS and understand all hazards to themselves and the environment through a comprehensive training program according to the Hazard Communication Standard 29 CFR 1910.1200, and the Occupational Safety and Health adoption of the Global Harmonization Standard (GHS). Use of this product may present additional hazards, and no guarantee is implied that the hazards and necessary precautions listed in this document are the only ones present. Customers using this product are responsible for determining proper personal protection equipment according to the specific conditions, PPE listed are a minimum standard. This product is not intended for general public use.

Recommended use of the chemical and restrictions on use

Recommended Use

Coatings.

Uses advised against

Restricted to professional users

Details of the supplier of the safety data sheet

Manufacturer Address

Marsh Shipping Supply Co., LLC
926 McDonough Lake Road - Unit E
Collinsville, IL 62234
USA

Emergency telephone number

24 Hour Emergency Phone Number Infotrac: 1-800-535-5053
International: call collect 352-323-3500

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 2
Aspiration toxicity	Category 1

Label elements

Danger

Hazard statements

Suspected of causing cancer
May be fatal if swallowed and enters airways

**Appearance** Paint**Physical state** liquid**Odor** Aromatic**Precautionary Statements**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor/physician
IF SWALLOWED: Immediately call a POISON CENTER or doctor
Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful in contact with skin Toxic to aquatic life with long lasting effects Toxic to aquatic life

Unknown acute toxicity 12.49 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No.	Weight-%
calumet 420-460	64742-47-8	78.25
Carbon black	1333-86-4	8.63

4. FIRST AID MEASURES

Description of first aid measures**General advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. Call 911 or emergency medical service. Immediately call a POISON CENTER or doctor/physician. Use first aid treatment according to the nature of the injury.

Inhalation

Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur. Administer oxygen if breathing is difficult. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician. Unconscious persons should be moved to an uncontaminated area and, as necessary, given artificial resuscitation and supplemental oxygen.

Eye contact	Do not rub affected area. In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
Skin contact	Remove material from skin immediately. Wash off immediately with soap and plenty of water for at least 15 minutes. Do not use solvents or thinners to dissolve the material. Take off contaminated clothing and wash before reuse. Get medical attention immediately if symptoms occur. Allergic symptoms may be delayed.
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Remove all sources of ignition. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Symptoms may include headache, dizziness, thirst, cramping, coughing, and nausea. These symptoms may be delayed. Repeated or prolonged exposure may cause kidney, liver, neurological, central nervous system, eye and skin disorders. See Section 11 for additional Toxicological Information. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Vapors may cause drowsiness and dizziness.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Note to physicians	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances. Treat symptomatically. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed. May cause sensitization in susceptible persons.
---------------------------	---

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Dry chemical, CO ₂ , alcohol-resistant foam or water spray. Use water spray or fog; do not use straight streams. Dry sand. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	May be ignited by heat, sparks or flames. Vapors may form explosive mixture with air. Vapors may travel to source of ignition and flash back. In the event of fire and/or explosion do not breathe fumes. Containers may explode when heated. Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire may produce irritating, corrosive and/or toxic gases. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO ₂). Hydrocarbons. Nitrogen oxides (NO _x).
Explosion data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	Yes.
Special protective equipment for	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

fire-fighters (approved or equivalent) and full protective gear. Use only non-sparking tools.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. See section 8 for more information. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate personnel to safe areas. Full encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Wear protective gloves/protective clothing and eye/face protection. All equipment used when handling the product must be grounded. Take precautionary measures against static discharges.

Other Information Refer to protective measures listed in Sections 7 and 8. Ventilate the area. Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information. Dispose of this material and its container to hazardous or special waste collection point. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Dike to collect large liquid spills. Do not touch or walk through spilled material. Keep out of drains, sewers, ditches and waterways.

Methods for cleaning up Place in appropriate chemical waste container. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Use clean non-sparking tools to collect absorbed material. Use personal protective equipment as required.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use personal protection equipment. Use spark-proof tools and explosion-proof equipment. Use with local exhaust ventilation. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Do not ingest. If swallowed then seek immediate medical assistance. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Remove all sources of ignition. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials. Keep/store only in original container. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep away from open flames, hot surfaces and sources of ignition. Keep in an area equipped with sprinklers.

Packaging materials use only with original package - do not repackage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon black 1333-86-4	TWA: 3 mg/m ³ inhalable fraction	TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH

Other Information

This product may also contain pigments that are otherwise non hazardous according to the US GHS: REFER TO ACGIH TLV NUISANCE PARTICULATE GUIDANCE OF 10mg/m³ , 3 mg/m³ respirable fraction; OSHA PEL 15mg/m³ total dust, 5mg/m³ respirable fraction.

Appropriate engineering controls

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eyeface protection

If splashes are likely to occur, wear safety glasses with side-shields.

Hand Protection

Wear suitable gloves. Wear nitrile or natural rubber gloves to protect hands from contact. Butyl gloves are best for prolonged contact.

Skin and body protection

Wear suitable protective clothing. Impervious clothing such as Tyvek(R) coveralls for light protection or Saranex(R) 23-P for moderate protection.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. Adequate ventilation should be used as the first measure to ensure airborne thresholds listed in section 8 of this SDS are not exceeded. If respirators are used, they should be used in accordance with the Hazard Communication Standard.

General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	liquid
Appearance	Paint
Odor	Aromatic
Color	black
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	7	
Melting point / freezing point	No data available	None known
Boiling point / boiling range	175 °C / 347 °F	None known
Flash point	95 °C / 203 °F	
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	Lower flammability limit: No data available
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	
<u>Other Information</u>		
Softening point	No information available	
Molecular weight	No information available	
Specific gravity	.87	
Non-Volatile (%)	21 %	
VOC Content (g/l)	683	
Density	7.28 lbs/gal	
Bulk density	No information available	

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Hazardous polymerization	None under normal processing.
Conditions to avoid	
Incompatible materials	Strong acids. Strong bases. Do not store together with acids, oxidizing substances, strong alkalis, or heavy-metal compounds.
Hazardous decomposition products	Carbon oxides. Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
------------	---

Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

Chemical Name	Acute toxicity - Oral	Oral LD50	Acute toxicity - Dermal	LD50/dermal/rat - mg/kg
calumet 420-460 64742-47-8		> 5000 mg/kg (Rat)		> 2000 mg/kg (Rabbit)
Carbon black 1333-86-4		> 15400 mg/kg (Rat)		> 3 g/kg (Rabbit)

Chemical Name	Physical state	Acute toxicity - Inhalation (Dusts/Mists)	Acute toxicity - Inhalation (Gases)	Acute toxicity - Inhalation (Vapors)	Inhalation LC50	LC50 Inh 1-hr Vapor rat/rabbit (no units)	Inhalation LC50 - 4 hour vapor - mg/L
calumet 420-460 64742-47-8	-				> 5.2 mg/L (Rat) 4 h	-	-
Carbon black 1333-86-4	solid				-	-	-

Chemical Name	Acute aquatic toxicity	M-Factor	Chronic aquatic toxicity	M-Factor
calumet 420-460 64742-47-8	Category 2	-	Category 2	-

Chemical Name	NIOSH - Target Organs	STOT - single exposure	Target Organ Systemic Toxicant - Repeated exposure	Aspiration toxicity	Ozone
calumet 420-460 64742-47-8	-			Category 1	
Carbon black 1333-86-4	eyes,respiratory system lymphatic cancer in presence of PAHs				

Information on toxicological effects

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	5,597.00 mg/kg
ATEmix (dermal)	2,239.00 mg/kg

Unknown acute toxicity 12.49 % of the mixture consists of ingredient(s) of unknown toxicity

Component Information

Chemical Name	Oral LD50	LD50/dermal/rat - mg/kg	Inhalation LC50
calumet 420-460 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h

Carbon black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
---------------------------	-----------------------	---------------------	---

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Classification based on data available for ingredients. Contains a known or suspected carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon black 1333-86-4	A3	Group 2B	-	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
Target Organ Systemic Toxicant - Repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Lymphatic System.
Aspiration hazard	May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
calumet 420-460 64742-47-8	-	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-	4720: 96 h Den-dronereides heteropoda mg/L LC50
Carbon black 1333-86-4	-	-	-	5600: 24 h Daphnia magna mg/L EC50

Persistence and degradability	No information available.
Bioaccumulation	No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Do not reuse empty containers. Dispose of in accordance with federal, state and local regulations. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. This material and its container, if discarded, would be regulated as a hazardous waste under RCRA. Treatment and disposal must be completed at a RCRA permitted treatment, storage, and disposal facility (TSD). The storage and transportation of RCRA hazardous wastes are also regulated by the EPA.

14. TRANSPORT INFORMATION

<u>DOT</u>	Not regulated
<u>TDG</u>	Not regulated
<u>MEX</u>	Not regulated
<u>ICAO (air)</u>	Not regulated
<u>IATA</u>	Not regulated
<u>IMDG</u>	Not regulated
<u>RID</u>	Not regulated
<u>ADR</u>	Not regulated
<u>ADN</u>	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any

chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CAA (Clean Air Act)

The following component(s) are listed in the Clean Air Act.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.



WARNING!

This product can expose you to chemicals including those listed below, which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Chemical Name	California Proposition 65
Carbon black - 1333-86-4	Carcinogen

U.S. State Right-to-Know Regulations**US State Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Carbon black 1333-86-4	X	X	X

U.S. EPA Label Information**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

NFPA	Health hazards 2	Flammability 1	Instability 0	Physical and chemical properties -
HMIS	Health hazards 2 *	Flammability 1	Physical hazards 0	Personal protection X
<i>Chronic Hazard Star Legend</i>	<i>* = Chronic Health Hazard</i>			

Prepared By Regulatory Compliance Department.

Revision Date 09-Aug-2018

Revision Note SDS sections updated.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. No express or implied warranty of merchantability or fitness for a particular purpose or use, with respect to the product information provided herein is given. The manufacturer disclosed in section 1 shall under no circumstance be liable for incidental or consequential damage nor makes any representation as to the information's accuracy or sufficiency. All suitability of use and safe handling of this product is upon the user. This product is not to be repackaged. Any re-sale or repackaging of this product is a violation of the original terms of sale, and the manufacturer shall not be held responsible whatsoever for the product or use thereof.

End of Safety Data Sheet

Ficha de datos de seguridad

según 1907/2006/CE, Artículo 31

fecha de impresión 01.07.2015

Revisión: 02.10.2020

SECCIÓN 1: Identificación de la sustancia o la mezcla y de la sociedad o la empresa

- **1.1 Identificador del producto**
 - **Nombre comercial:** K-BK1 - "K Series" Black Stencil Ink
 - **Artículo número:** K-BK-G50, K-BK-G, K-BK-Q, 5A136
- **1.2 Usos pertinentes identificados de la sustancia o de la mezcla y usos desaconsejados**

No existen más datos relevantes disponibles.
- **Utilización del producto / de la elaboración** Tintas de imprenta
- **1.3 Datos del proveedor de la ficha de datos de seguridad**
- **Fabricante/distribuidor:**

Marsh Shipping Supply Co.,LLC
926 McDonough Lake Road - Unit E
Collinsville, IL 62234
USA
- **Área de información:** orders@msscllc.com
- **1.4 Teléfono de emergencia:**

Infotrac: 1-800-535-5053
International; 352-323-3500 (CALL COLLECT)

SECCIÓN 2: Identificación de los peligros

- **2.1 Clasificación de la sustancia o de la mezcla**
- **Clasificación con arreglo al Reglamento (CE) n° 1272/2008**



GHS08 peligro para la salud

Carc. 2 H351 Se sospecha que provoca cáncer.

Tox. asp. 1 H304 Puede ser mortal en caso de ingestión y penetración en las vías respiratorias.

- **Clasificación con arreglo a la Directiva 67/548/CEE o Directiva 1999/45/CE**



Xn; Nocivo

R65: Nocivo: si se ingiere puede causar daño pulmonar.

- **Indicaciones adicionales sobre los riesgos para personas y el medio ambiente:**

Es obligatorio identificar el producto según el procedimiento de cálculo de la última versión válida de la "Directiva general de clasificación de preparaciones de la UE".

- **Sistema de clasificación:**

La clasificación corresponde a las listas actuales de la CE, pero siempre completada por la literatura especializada y los informes de las empresas.

- **2.2 Elementos de la etiqueta**

- **Etiquetado con arreglo al Reglamento (CE) n° 1272/2008**

El producto se ha clasificado y etiquetado de conformidad con el reglamento CLP.

- **Pictogramas de peligro** GHS08

- **Palabra de advertencia** Peligro

- **Componentes peligrosos a indicar en el etiquetaje:**

destilados (petróleo), fracción ligera tratada con hidrógeno negro de carbón

- **Indicaciones de peligro**

H351 Se sospecha que provoca cáncer.

H304 Puede ser mortal en caso de ingestión y penetración en las vías respiratorias.

- **Consejos de prudencia**

P280 Llevar guantes/prendas/gafas/máscara de protección.

P201 Pedir instrucciones especiales antes del uso.

P202 No manipular la sustancia antes de haber leído y comprendido todas las instrucciones de seguridad.

P301+P310 EN CASO DE INGESTIÓN: Llamar inmediatamente a un CENTRO DE TOXICOLOGÍA/médico.

(se continua en página 2)

Ficha de datos de seguridad

según 1907/2006/CE, Artículo 31

fecha de impresión 01.07.2015

Revisión: 02.10.2020

Nombre comercial: K-BK1 - "K Series" Black Stencil Ink

(se continua en página 1)

P308+P313 EN CASO DE exposición manifiesta o presunta: Consultar a un médico.

P331 NO provocar el vómito.

P405 Guardar bajo llave.

P501 Eliminar el contenido o el recipiente conforme a la reglamentación local/regional/nacional/internacional.

- **2.3 Otros peligros**
- **Resultados de la valoración PBT y mPmB**
- **PBT:** No aplicable.
- **mPmB:** No aplicable.

SECCIÓN 3: Composición/información sobre los componentes

- **3.2 Caracterización química: Mezclas**
- **Descripción:** Mezcla formada por las sustancias especificadas a continuación con adiciones no peligrosas.

• Componentes peligrosos:

CAS: 64742-47-8 EINECS: 265-149-8	destilados (petróleo), fracción ligera tratada con hidrógeno  Xn R65  Tox. asp. 1, H304	78,25%
CAS: 1333-86-4 EINECS: 215-609-9	negro de carbón sustancia a la que se aplica un límite comunitario de exposición en el lugar de trabajo  Carc. 2, H351	8,63%

- **Indicaciones adicionales:** For the wording of the listed risk phrases refer to section 16.

SECCIÓN 4: Primeros auxilios

- **4.1 Descripción de los primeros auxilios**
- **Instrucciones generales:**
 - Consultar al médico de inmediato.
 - Llevar las personas afectadas al aire libre.
 - Recurrir a un médico de inmediato.
- **En caso de inhalación del producto:** Suministrar aire fresco. En caso de trastornos, consultar al médico.
- **En caso de contacto con la piel:** Lavar inmediatamente con agua.
- **En caso de con los ojos:**
 - Limpia los ojos abiertos durante varios minutos con agua corriente. En caso de trastornos persistentes consultar un médico.
- **En caso de ingestión:**
 - Consultar un médico si los trastornos persisten.
 - No provocar el vómito y solicitar asistencia médica inmediata.
- **4.2 Principales síntomas y efectos, agudos y retardados**
 - Disnea (asfixia)
 - Dolor de cabeza
 - Mareo
 - Sed
 - Espasmos
 - Trastornos estomacales e intestinales
 - Tos
 - Reacciones alérgicas
 - Náuseas

(se continua en página 3)

Ficha de datos de seguridad

según 1907/2006/CE, Artículo 31

fecha de impresión 01.07.2015

Revisión: 02.10.2020

Nombre comercial: K-BK1 - "K Series" Black Stencil Ink

(se continua en página 2)

- **4.3 Indicación de toda atención médica y de los tratamientos especiales que deban dispensarse inmediatamente**
No existen más datos relevantes disponibles.

SECCIÓN 5: Medidas de lucha contra incendios

- **5.1 Medios de extinción**
- **Sustancias extintoras apropiadas:**
CO₂, polvo extintor o chorro de agua rociada. Combatir incendios mayores con chorro de agua rociada o espuma resistente al alcohol.
- **5.2 Peligros específicos derivados de la sustancia o la mezcla**
Oxidos azoicos (NO_x)
Monóxido de carbono (CO)
- **5.3 Recomendaciones para el personal de lucha contra incendios**
- **Equipo especial de protección:**
Llevar puesto un aparato de respiración autónomo.
Llevar puesto un traje de protección total.
- **Indicaciones adicionales**
Los restos de incendio así como el agua de extinción contaminada deben desecharse de acuerdo con las normativas vigentes.
El agua de extinción contaminada debe recogerse por separado y no debe ser vertida al alcantarillado.

SECCIÓN 6: Medidas en caso de vertido accidental

- **6.1 Precauciones personales, equipo de protección y procedimientos de emergencia**
Llevar puesto equipo de protección. Mantener alejadas las personas sin protección.
Asegurarse de que haya suficiente ventilación.
Usar ropa de protección personal.
- **6.2 Precauciones relativas al medio ambiente:**
No dejar que se introduzca en el alcantarillado ni que contamine las aguas.
Evitar que penetre en la canalización /aguas de superficie /agua subterráneas.
Evitar la expansión de superficie (por ejemplo mediante barreras constructivas o barreras de aceite).
- **6.3 Métodos y material de contención y de limpieza:**
Quitar con material absorbente (arena, kieselgur, aglutinante de ácidos, aglutinante universal, aserrín).
Desechar el material contaminado como vertido según ítem 13.
Asegurar suficiente ventilación.
- **6.4 Referencia a otras secciones**
Ver capítulo 7 para mayor información sobre una manipulación segura.
Ver capítulo 8 para mayor información sobre el equipo personal de protección.
Para mayor información sobre cómo desechar el producto, ver capítulo 13.

SECCIÓN 7: Manipulación y almacenamiento

- **7.1 Precauciones para una manipulación segura** Evitar la formación de aerosoles.
- **Prevención de incendios y explosiones:** No se requieren medidas especiales.
- **7.2 Condiciones de almacenamiento seguro, incluidas posibles incompatibilidades**
- **Almacenamiento:**
- **Exigencias con respecto al almacén y los recipientes:** Conservar sólo en el envase original.
- **Normas en caso de un almacenamiento conjunto:**
No almacenar junto con sustancias oxidantes, ácidas o combinaciones de metales pesados.
No almacenar junto con alimentos.

(se continua en página 4)

Ficha de datos de seguridad

según 1907/2006/CE, Artículo 31

fecha de impresión 01.07.2015

Revisión: 02.10.2020

Nombre comercial: K-BK1 - "K Series" Black Stencil Ink

(se continua en página 3)

- **Indicaciones adicionales sobre las condiciones de almacenamiento:**
Almacenarlo en envases bien cerrados en un lugar fresco y seco.
- **7.3 Usos específicos finales** No existen más datos relevantes disponibles.

SECCIÓN 8: Controles de exposición/protección individual

· 8.1 Parámetros de control

- **Componentes con valores límite admisibles que deben controlarse en el puesto de trabajo:**

1333-86-4 negro de carbón

LEP Valor de larga duración: 3,5 mg/m³

- **Indicaciones adicionales:** Como base se han utilizado las listas vigentes en el momento de la elaboración.

· 8.2 Controles de la exposición

· Equipo de protección individual:

· Medidas generales de protección e higiene:

Se deben observar las medidas de seguridad para el manejo de productos químicos.

Mantener alejado de alimentos, bebidas y alimentos para animales.

Lavarse las manos antes de las pausas y al final del trabajo.

No respirar los gases /vapores /aerosoles.

Evitar el contacto con la piel.

Evitar el contacto con los ojos y la piel.

Las mujeres embarazadas deben evitar imperativamente la aspiración y el contacto con la piel.

No comer, beber, fumar o esnifar tabaco durante el trabajo.

- **Protección respiratoria:** Si la ventilación es insuficiente, usar protección respiratoria.

- **Protección de manos:**



Guantes de protección

- **Material de los guantes** Caucho nitrílico

- **Protección de ojos:** Se recomienda el uso de gafas de protección durante el trasvase del producto.

SECCIÓN 9: Propiedades físicas y químicas

· 9.1 Información sobre propiedades físicas y químicas básicas

· Datos generales

· Aspecto:

Forma: Líquido

Color: Negro

· Olor: Característico

· Umbral olfativo: No determinado.

· valor pH: No determinado.

· Cambio de estado

Punto de fusión /campo de fusión: Indeterminado.

Punto de ebullición /campo de ebullición: 175 °C

· Punto de inflamación: 94 °C

· Inflamabilidad (sólido, gaseiforme): No aplicable.

(se continua en página 5)

Ficha de datos de seguridad

según 1907/2006/CE, Artículo 31

fecha de impresión 01.07.2015

Revisión: 02.10.2020

Nombre comercial: K-BK1 - "K Series" Black Stencil Ink

(se continua en página 4)

· Temperatura de ignición:	210 °C
· Temperatura de descomposición:	No determinado.
· Autoinflamabilidad:	El producto no es autoinflamable.
· Peligro de explosión:	El producto no es explosivo.
· Límites de explosión:	
Inferior:	0,5 Vol %
Superior:	6,5 Vol %
· Presión de vapor a 20 °C:	2 hPa
· Densidad a 20 °C:	0,83555 g/cm ³
· Densidad relativa	No determinado.
· Densidad de vapor	No determinado.
· Velocidad de evaporación	No determinado.
· Solubilidad en / miscibilidad con agua:	Poco o no mezclable.
· Coeficiente de reparto (n-octanol/agua):	No determinado.
· Viscosidad:	
Dinámica:	No determinado.
Cinemática:	No determinado.
· Concentración del disolvente:	
Disolventes orgánicos:	78,3 %
Contenido de cuerpos sólidos:	21,8 %
· 9.2 Información adicional	No existen más datos relevantes disponibles.

SECCIÓN 10: Estabilidad y reactividad

- **10.1 Reactividad**
- **10.2 Estabilidad química**
- **Descomposición térmica / condiciones que deben evitarse:** No se descompone al emplearse adecuadamente.
- **10.3 Posibilidad de reacciones peligrosas** Reacciona con ácidos, álcalis y oxidantes.
- **10.4 Condiciones que deben evitarse** No existen más datos relevantes disponibles.
- **10.5 Materiales incompatibles:** No existen más datos relevantes disponibles.
- **10.6 Productos de descomposición peligrosos:**
 - Aldehidos
 - Hidrocarburos
 - Monóxido de carbono y dióxido de carbono

SECCIÓN 11: Información toxicológica

- **11.1 Información sobre los efectos toxicológicos**
- **Toxicidad aguda:**

· Valores LD/LC50 (dosis letal /dosis letal = 50%) relevantes para la clasificación:		
64742-47-8 destilados (petróleo), fracción ligera tratada con hidrógeno		
Oral	LD50	>8000 mg/kg (rat)
Dermal	LD50	>4000 mg/kg (rabbit)

(se continua en página 6)

Ficha de datos de seguridad

según 1907/2006/CE, Artículo 31

fecha de impresión 01.07.2015

Revisión: 02.10.2020

Nombre comercial: K-BK1 - "K Series" Black Stencil Ink

(se continua en página 5)

Inhalatorio LC50/4 h >2500 (PPM) mg/l (rat)

- **Efecto estimulante primario:**
- **en la piel:** No produce irritaciones.
- **en el ojo:** No produce irritaciones.
- **Sensibilización:** No se conoce ningún efecto sensibilizante.
- **Indicaciones toxicológicas adicionales:**
En conformidad con el procedimiento de cálculo contenido en la última versión de la Normativa General de Clasificación de la CE para Preparados, el producto tiene los siguientes riesgos:
Nocivo
- **Efectos CMR (carcinogenicidad, mutagenicidad y toxicidad para la reproducción)**
Carc. 2

SECCIÓN 12: Información ecológica

- **12.1 Toxicidad**
- **Toxicidad acuática:** No existen más datos relevantes disponibles.
- **12.2 Persistencia y degradabilidad** No existen más datos relevantes disponibles.
- **12.3 Potencial de bioacumulación** No existen más datos relevantes disponibles.
- **12.4 Movilidad en el suelo** No existen más datos relevantes disponibles.
- **Indicaciones medioambientales adicionales:**
- **Indicaciones generales:**
Nivel de riesgo para el agua 1 (autoclasiicación): escasamente peligroso para el agua
La información ha sido deducida a partir de las propiedades de los componentes del producto.
- **12.5 Resultados de la valoración PBT y mPmB**
- **PBT:** No aplicable.
- **mPmB:** No aplicable.
- **12.6 Otros efectos adversos** No existen más datos relevantes disponibles.

SECCIÓN 13: Consideraciones relativas a la eliminación

- **13.1 Métodos para el tratamiento de residuos**
- **Recomendación:** No debe desecharse con la basura doméstica. No debe llegar al alcantarillado.
- **Embalajes sin limpiar:**
- **Recomendación:** Eliminar conforme a las disposiciones oficiales.

SECCIÓN 14: Información relativa al transporte

- | | |
|--|---------------|
| · 14.1 Número UN | |
| · ADR, ADN, IMDG, IATA | suprimido |
| · 14.2 Designación oficial de transporte de las Naciones Unidas | |
| · ADR, ADN, IMDG, IATA | suprimido |
| · 14.3 Clase(s) de peligro para el transporte | |
| · ADR, ADN, IMDG, IATA | |
| · Clase | suprimido |
| · 14.4 Grupo de embalaje | |
| · ADR, IMDG, IATA | suprimido |
| · 14.5 Peligros para el medio ambiente: | No aplicable. |

(se continua en página 7)

Ficha de datos de seguridad

según 1907/2006/CE, Artículo 31

fecha de impresión 01.07.2015

Revisión: 02.10.2020

Nombre comercial: K-BK1 - "K Series" Black Stencil Ink

(se continua en página 6)

· 14.6 Precauciones particulares para los usuarios No aplicable.

· 14.7 Transporte a granel con arreglo al anexo II del Convenio Marpol 73/78 y del Código IBC No aplicable.

· "Reglamentación Modelo" de la UNECE: -

SECCIÓN 15: Información reglamentaria

- 15.1 Reglamentación y legislación en materia de seguridad, salud y medio ambiente específicas para la sustancia o la mezcla
- Disposiciones nacionales:
- Clase de peligro para las aguas: CPA 1 (autoclasiación): poco peligroso para el agua.
- 15.2 Evaluación de la seguridad química: Una evaluación de la seguridad química no se ha llevado a cabo.

SECCIÓN 16: Otra información

Esta Hoja de Datos sobre Seguridad de Materiales (SDS) se proporciona al comprador del material al cual ésta se refiere, sin implicar representación ni garantía en lo relacionado a la integridad o precisión de la información o recomendaciones contenidas en la presente. Esta SDS no está destinada a crear responsabilidad de ningún tipo por parte de Marsh Shipping Supply Co., LLC. En ningún caso será Marsh Shipping Supply Co., LLC. responsable por ninguna muerte, lesión o daño de ninguna naturaleza resultante del uso, confianza, o uso indebido de la SDS o del material al cual ésta se refiere. No se ofrecen por la presente representaciones ni garantías, ya sea expresas o implícitas, de comerciabilidad, idoneidad para un propósito particular o de ninguna otra naturaleza. esta SDS no ha sido diseñada como recomendación para usos que infringen patentes válidas ni para extender licencias bajo patentes válidas. Esta SDS se proporciona con la condición expresa de que todas las personas que la reciban harán su propia determinación respecto a la idoneidad para sus propósitos antes del uso. El comprador tiene responsabilidad total por el cumplimiento de los reglamentos aplicables federales, estatales o locales respecto a la distribución de la SDS y a la venta y uso del material al cual ésta se refiere.

· Frases relevantes

H304 Puede ser mortal en caso de ingestión y penetración en las vías respiratorias.

H351 Se sospecha que provoca cáncer.

R65 Nocivo: si se ingiere puede causar daño pulmonar.

· Interlocutor: Compliance Department

· Abreviaturas y acrónimos:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Carc. 2: Carcinogenicity, Hazard Category 2

Tox. asp. 1: Aspiration hazard, Hazard Category 1