

## Goof Off Marks, Messes &amp; Stains Remover

Printed: 02/12/2024

Revision: 01/03/2023

Supersedes Revision: 04/14/2021

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Goof Off Marks, Messes & Stains Remover

**Company Name:** W. M. Barr  
2105 Channel Avenue  
Memphis, TN 38113

**Web site address:** www.wmbarr.com

**Emergency Contact:** 3E 24 Hour Emergency Contact (800)451-8346

**Information:** W.M. Barr Customer Service (800)398-3892

**Intended Use:** Multi-Purpose Remover for tar, ink, paint, adhesive, etc.

**Product Code:** FG644, FG659, FG659AM, FG659B, FG659W, FG720, FG708, FG659BW, FG722, FG659BHDIP, FG659B18HDIP, FG659BWS, FG659BHDWS, FG659BLWS,; FG659BWM, FG659WM, FG659BMW, FG705, FG706

## 2. HAZARDS IDENTIFICATION

Eye Irritation, Category 2A

Specific Target Organ Toxicity (single exposure), Category 3

**GHS Signal Word:** Warning

**GHS Hazard Phrases:** H319 - Causes serious eye irritation.  
H335 - May cause respiratory irritation.

**GHS Precautionary Phrases:** P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 - Wash hands thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:** P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P337+313 - If eye irritation persists, get medical advice/attention.

**GHS Storage and Disposal Phrases:** P403 - Store in well-ventilated place.  
P405 - Store locked up.

P501 - Dispose of contents/container according to local, state and federal regulations.

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration	RTECS #	Molecular Formula
100-51-6	Benzenemethanol {Benzyl alcohol}	3.0 -7.0 %	DN3150000	C6H5CH2OH
143-18-0	Oleic acid potassium salt	1.0 -5.0 %	RK1150000	C18H34O2.K
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	1.0 -5.0 %	KJ9100000	CH3(CH2)3OCH2CH2OCH2CH2OH
770-35-4	Propylene glycol phenyl ether {(not 313)}	0.5 -1.5 %	UB8886500	C9H12O2

**Additional Chemical Information** Specific percentage of composition is being withheld as a trade secret.

## Goof Off Marks, Messes &amp; Stains Remover

Printed: 02/12/2024

Revision: 01/03/2023

Supersedes Revision: 04/14/2021

## 4. FIRST AID MEASURES

## Emergency and First Aid

## Procedures:

In Case of Inhalation:	If inhaled, remove to fresh air.
In Case of Skin Contact:	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.
In Case of Ingestion:	If swallowed, do not induce vomiting unless directed to do so by medical personnel.
Signs and Symptoms Of Exposure:	Maternal Effects: Other effects.

## 5. FIRE FIGHTING MEASURES

Flash Pt:	> 212.00 F (100.0 C)	Method Used: Setaflash Closed Cup (Rapid Setaflash)
Explosive Limits:	LEL: No data.	UEL: No data.
Autoignition Pt:	N.D.	
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.	
Unsuitable Extinguishing Media:	**None known.	
Fire Fighting Instructions:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved or equivalent) and full protective gear.	
Flammable Properties and Hazards:	No data available.	
Hazardous Combustion Products:	No data available.	

## 6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled:	Prevent entry into waterways, sewers, basements or confined areas. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Dike far ahead of spill for later disposal.
--	---

## 7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:	Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. A source of clean water should be kept in the immediate work area for flushing of the eyes and skin.
	Follow all SDS/label precautions even after container is emptied because they may retain product residues.
Precautions To Be Taken in Storing:	Keep container closed when not in use. Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**SAFETY DATA SHEET****Goof Off Marks, Messes & Stains Remover**

Printed: 02/12/2024

Revision: 01/03/2023

Supersedes Revision: 04/14/2021

**Personal Protective****Equipment Symbols:****Respiratory Equipment  
(Specify Type):**

When used by the consumer following directions for use and with adequate ventilation, respiratory protection should not be needed.

**Eye Protection:**

Eye protection recommended.

**Protective Gloves:**

Wear appropriate gloves to prevent skin exposure.

**Other Protective Clothing:**

Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure.

**Engineering Controls  
(Ventilation etc.):**

Ventilation is normally not required when handling or using this product to keep exposure to airborne contaminants below the exposure limit.

Good general ventilation should be sufficient to control airborne levels.

**Work/Hygienic/Maintenance  
Practices:**

Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Physical States:**

[ ] Gas [X] Liquid [ ] Solid

**Appearance and Odor:**

Slight yellow to clear, transparent, almond-like odor.

Odor threshold not determined.

**pH:**

8.3 - 8.7

**Melting Point:**

32.00 F (0.0 C)

**Boiling Point:**

212.00 F (100.0 C)

**Flash Pt:**

&gt; 212.00 F (100.0 C) Method Used: Setaflash Closed Cup (Rapid Setaflash)

**Evaporation Rate:**

&lt; 1

**Flammability (solid, gas):**

No data available.

**Explosive Limits:**

LEL: No data.

UEL: No data.

**Vapor Pressure (vs. Air or  
mm Hg):**

&lt; 0.1 MM HG

No data.

**Vapor Density (vs. Air = 1):**

&gt; 1

**Specific Gravity (Water =  
1):**

0.997

**Density:**

8.3 LB/GL

**Solubility in Water:**

Complete

**Saturated Vapor**

N.D.

**Concentration:****Octanol/Water Partition  
Coefficient:**

ND

**Percent Volatile:**

~ 87 % by weight.

**VOC / Volume:**

3.0000 % WT

**Autoignition Pt:**

N.D.

**Decomposition**

No data.

**Temperature:****Viscosity:**

N.D.

**a\_fld\_hdr[9]:**

ND = Not Determined.

**Information with regard to  
primary physical hazard:**

## Goof Off Marks, Messes &amp; Stains Remover

Printed: 02/12/2024

Revision: 01/03/2023

Supersedes Revision: 04/14/2021

## 10. STABILITY AND REACTIVITY

**Stability:** Unstable [ ] Stable [ X ]

**Conditions To Avoid - Instability:** \*\*None known.

**Incompatibility - Materials To Avoid:** Strong oxidizing agents, Heat.

**Hazardous Decomposition or Byproducts:** Carbon monoxide, Carbon dioxide.

**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]

**Conditions To Avoid - Hazardous Reactions:** \*\*None known.

## 11. TOXICOLOGICAL INFORMATION

**Toxicological Information:** This product has not been tested as a whole. Experimental tumorigenic data exists. This product has not been tested as a whole. Information below will be for individual ingredients. Refer to section 2 for acute and chronic health effects.

CAS# 112-34-5:  
Standard Draize Test, Eyes, Species: Rabbit, 20.00 MG, Severe.  
Result:  
Behavioral: Anticonvulsant.  
- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

**Carcinogenicity/Other Information:** ACGIH A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
100-51-6	Benzenemethanol {Benzyl alcohol}	n.a.	n.a.	n.a.	n.a.
143-18-0	Oleic acid potassium salt	n.a.	n.a.	n.a.	n.a.
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}}	n.a.	n.a.	n.a.	n.a.
770-35-4	Propylene glycol phenyl ether {(not 313)}	n.a.	n.a.	n.a.	n.a.

## 12. ECOLOGICAL INFORMATION

**General Ecological Information:** This product has not been tested as a whole.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method:** Dispose in accordance with applicable local, state, and federal regulations. Do not let product enter drains.

## 14. TRANSPORT INFORMATION

## Goof Off Marks, Messes &amp; Stains Remover

Printed: 02/12/2024

Revision: 01/03/2023

Supersedes Revision: 04/14/2021

## LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number:

## 15. REGULATORY INFORMATION

## EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
100-51-6	Benzenemethanol {Benzyl alcohol}	No	No	No
143-18-0	Oleic acid potassium salt	No	No	No
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}}	No	No	Yes-Cat. N230 (5%)
770-35-4	Propylene glycol phenyl ether {(not 313)}	No	No	No

## EPA SARA Title III Section 313 Toxic Release Inventory.

This product contains a toxic chemical or chemicals subject to the reporting requirements of EPCRA Section 313 (40 CFR Section 372).

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
100-51-6	Benzenemethanol {Benzyl alcohol}	TSCA: Inventory
143-18-0	Oleic acid potassium salt	TSCA: Inventory
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}}	CAA HAP,ODC: Yes - Cat. TSCA: Inventory
770-35-4	Propylene glycol phenyl ether {(not 313)}	TSCA: Inventory, 8A PAIR, 8D TERM

**Regulatory Information:** This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

## 16. OTHER INFORMATION

**Revision Date:** 01/03/2023 **Previous revision:** 04/14/2021

**Preparer Name:** W.M. Barr EHS Dept (901)775-0100

**Additional Information About This Product:** No data available.

**This Product:****Company Policy or****Disclaimer:**

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.