

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

SECTION 1: Identification

1.1 Product identifier

Trade name **Uline Toilet Bowl Cleaner Disinfectant**

Authorization number EPA Reg. No. 8155-6-89809

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Uses advised against Restrictions on use: Do not use in any fashion not specified on the product label.

1.3 Details of the supplier of the safety data sheet

Uline Inc
12575 Uline Drive
Pleasant Prairie, WI 53158
United States

Telephone: +1 (800) 295-5510

1.4 Emergency telephone number

CHEMTREC: US/CANADA: 1-800-424-9300
INTERNATIONAL: +1-703-527-3887

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Classification acc. to GHS	
Hazard class	Hazard class and category
skin corrosion/irritation	Skin Corr. 1
serious eye damage/eye irritation	Eye Dam. 1

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

- Pictograms

GHS05



- Hazard statements

H314 Causes severe skin burns and eye damage.

- Precautionary statements

P260 Do not breathe dusts or mists.
P280 Wear eye protection/face protection.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a poison center/doctor.
P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling Hydrochloric Acid

2.3 Other hazards

Hazards not otherwise classified

May be harmful if inhaled (GHS category 5: acutely toxic - inhalation).

Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%
Hydrochloric Acid	CAS No 7647-01-0	5 - < 10

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product.

- Handling of incompatible substances or mixtures

Do not mix with alkali.

- Keep away from

Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	hydrogen chloride	7647-01-0	REL					5	7		NIOSH REL

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	hydrogen chloride	7647-01-0	TLV®					2			ACGIH® 2019
US	hydrogen chloride	7647-01-0	PEL					5	7		29 CFR 1910.1000
US	hydrogen chloride (muriatic acid) (hydrochloric acid)	7647-01-0	PEL (CA)	0.3	0.45			2			Cal/OSHA PEL

Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur
short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

STEL

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

TWA

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	green
Odor	Acetophenone

Other safety parameters

pH (value)	<1 (acid)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not determined
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	not determined
Density	not determined
Vapor density	this information is not available
Relative density	1.045 - 1.055 (air = 1)
Auto-ignition temperature	
- Dynamic viscosity	25 - 150 cP at 20 °C

9.2 **Other information** there is no additional information

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if inhaled.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Hydrochloric Acid	7647-01-0	oral	900 mg/kg
Hydrochloric Acid	7647-01-0	inhalation: vapor	3 mg/l/4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
Hydrochloric Acid	7647-01-0	3	

Legend

3 Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT	UN 1789
IMDG-Code	UN 1789
ICAO-TI	UN 1789

14.2 UN proper shipping name

DOT	Hydrochloric acid
IMDG-Code	HYDROCHLORIC ACID
ICAO-TI	Hydrochloric acid

14.3 Transport hazard class(es)

DOT	8
IMDG-Code	8
ICAO-TI	8

14.4 Packing group

DOT	II
IMDG-Code	II
ICAO-TI	II

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration	UN1789, Hydrochloric acid, 8, II
Reportable quantity (RQ)	52,195 lbs (23,696 kg) (Hydrochloric Acid) (Phenol)
Danger label(s)	8



Special provisions (SP)	386, A3, B3, B15, B133, IB2, N41, T8, TP2
ERG No	157

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant	-
Danger label(s)	8



Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	C
Segregation group	1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s)	8
-----------------	---



Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

FIFRA Labeling

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities				
Name of substance	CAS No	Notes	Reportable quantity (pounds)	Threshold planning quantity (pounds)
Hydrochloric Acid	7647-01-0	f	5,000	500

Legend

f Chemical on the original list that does not meet toxicity criteria but because of its acute lethality, high production volume and known risk is considered chemical of concern ("Other chemicals"). (November 17, 1986, and February 15, 1990.)

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings			
Name of substance	CAS No	Remarks	Effective date
Hydrochloric Acid	7647-01-0	acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size	1987-01-01

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
Hydrochloric Acid	7647-01-0		1 3	5000 (2270)

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act
3 "3" indicates that the source is section 112 of the Clean Air Act

Clean Air Act

Name of substance	CAS No	Type of registration	Basis for listing	Threshold quantity (lbs)
Hydrochloric Acid	7647-01-0	Toxic substance	a	5000
Hydrochloric Acid	7647-01-0	Toxic substance	d	15000

Legend

a Mandated for listing by Congress.
d Toxicity of hydrogen chloride, potential to release hydrogen chloride, and history of accidents.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Hydrochloric Acid	7647-01-0		CA TACs OEHA RELs

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
Hydrochloric Acid	7647-01-0				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
Hydrochloric Acid	7647-01-0	A, O	

Legend

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Hydrochloric Acid	7647-01-0		CO R1

Legend

- CO Corrosive
R1 Reactive - First Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
HYDROCHLORIC ACID	7647-01-0	E

Legend

- E Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
Hydrochloric Acid	7647-01-0	T, F

Legend

- F Flammability (NFPA®)
T Toxicity (ACGIH®)

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	0	material that will not burn under typical fire conditions
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DOT	Department of Transportation (USA)
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Uline Toilet Bowl Cleaner Disinfectant

Version number: GHS 1.0

Date of compilation: 2021-12-09

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. Disclaimer: No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, is made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information and recommendations contained herein are presented in good faith. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material.

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

SECCIÓN 1: Identificación de la sustancia o la mezcla y de la sociedad o la empresa

1.1 Identificador del producto

Nombre comercial

Uline Toilet Bowl Cleaner Disinfectant

EPA Reg. No. 8155-6-89809

Número de autorización

1.2 Usos pertinentes identificados de la sustancia o de la mezcla y usos desaconsejados

Usos pertinentes identificados

Usos desaconsejados

Restrictions on use: Do not use in any fashion not specified on the product label.

1.3 Datos del proveedor de la ficha de datos de seguridad

Uline Inc
12575 Uline Drive
Pleasant Prairie, WI 53158
Estados Unidos

Teléfono: 800-295-5510

1.4 Teléfono de emergencia

CHEMTREC: US/CANADA: 1-800-424-9300

MEXICO: 800-681-9531

INTERNATIONAL: +1-703-527-3887

SECCIÓN 2: Identificación de los peligros

2.1 Clasificación de la sustancia o de la mezcla

Clasificación según OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Clasificación según SGA	
Clase de peligro	Clase y categoría de peligro
corrosión o irritación cutáneas	Skin Corr. 1
lesiones oculares graves o irritación ocular	Eye Dam. 1

Véase el texto completo en la SECCIÓN 16.

Los principales efectos adversos fisicoquímicos, para la salud humana y para el medio ambiente

Corrosión cutánea produce una lesión irreversible en la piel, esto es, una necrosis visible a través de la epidermis que alcanza la dermis.

2.2 Elementos de la etiqueta

Etiquetado según OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Palabra de advertencia peligro

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

- Pictogramas

GHS05



- Indicaciones de peligro

H314 Provoca graves quemaduras en la piel y lesiones oculares.

- Consejos de prudencia

P260 No respirar polvos o nieblas.
P280 Usar equipo de protección para los ojos/la cara.
P301+P330+P331 EN CASO DE INGESTIÓN: Enjuagar la boca. NO provocar el vómito.
P303+P361+P353 EN CASO DE CONTACTO CON LA PIEL (o el pelo): Quitar inmediatamente la ropa contaminada. Enjuagar la piel con agua/ ducharse.
P305+P351+P338 EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado.
P310 Llamar inmediatamente a un CENTRO DE TOXICOLOGÍA o a un médico.
P501 Eliminar el contenido/el recipiente en las instalaciones industriales de combustión.

- Componentes peligrosos para el etiquetado Cloruro de hidrógeno

2.3 Otros peligros

Peligros no clasificados de otra manera

Puede ser nocivo en caso de inhalación (categoría 5 del SGA: toxicidad aguda - inhalación).

Nocivo para los organismos acuáticos (categoría 3 del SGA: toxicidad acuática - aguda).

SECCIÓN 3: Composición/información sobre los componentes

3.1 Sustancias

No pertinente (mezcla)

3.2 Mezclas

Descripción de la mezcla

Nombre de la sustancia	Identificador	%M
Cloruro de hidrógeno	No CAS 7647-01-0	5 – < 10

Véase el texto completo en la SECCIÓN 16.

SECCIÓN 4: Primeros auxilios

4.1 Descripción de los primeros auxilios

Notas generales

No dejar a la persona afectada desatendida. Retirar a la víctima de la zona de peligro. Mantener a la persona afectada calmada, tranquila y cubierta. Qúitese inmediatamente la ropa manchada o salpicada. Si aparece malestar o en caso de duda consultar a un médico. En caso de inconsciencia procurar una postura de seguridad de decúbito lateral y no administrar nada vía oral.

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

En caso de inhalación

En caso de respiración irregular o de paro respiratorio, buscar asistencia médica inmediatamente y disponerse a tomar medidas de primeros auxilios. En caso de irritación en las vías respiratorias, consultar a un médico. Proporcionar aire fresco.

En caso de contacto con la piel

Lavar con abundante agua y jabón.

En caso de contacto con los ojos

Quitar las lentes de contacto, si lleva y resulta fácil. Seguir aclarando. Mantener separados los párpados y enjuagar con abundante agua limpia y fresca por lo menos durante 10 minutos.

En caso de ingestión

Enjuáguese la boca con agua (solamente si la persona está consciente). NO provocar el vómito.

4.2 Principales síntomas y efectos, agudos y retardados

A la fecha no se conocen síntomas y efectos.

4.3 Indicación de toda atención médica y de los tratamientos especiales que deban dispensarse inmediatamente

ninguno

SECCIÓN 5: Medidas de lucha contra incendios

5.1 Medios de extinción

Medios de extinción apropiados

Agua pulverizada, Polvo BC, Dióxido de carbono (CO2)

Medios de extinción no apropiados

Chorro de agua

5.2 Peligros específicos derivados de la sustancia o la mezcla

5.3 Recomendaciones para el personal de lucha contra incendios

En caso de incendio y/o de explosión no respire los humos. Medidas coordinadas de lucha contra incendios en el entorno. No permitir que el agua de extinción alcance el desagüe. Recoger el agua de extinción separadamente. Luchar contra el incendio desde una distancia razonable, tomando las precauciones habituales.

SECCIÓN 6: Medidas en caso de vertido accidental

6.1 Precauciones personales, equipo de protección y procedimientos de emergencia

Para el personal que no forma parte de los servicios de emergencia

Llevar a las personas afectadas a un lugar seguro.

Para el personal de emergencia

Llevar aparatos respiratorios en caso de exposición a vapores/polvos/aerosoles/gases.

6.2 Precauciones relativas al medio ambiente

Mantener el producto alejado de los desagües y de las aguas superficiales y subterráneas. Retener y eliminar el agua de lavado contaminada.

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

6.3 Métodos y material de contención y de limpieza

Consejos sobre la manera de contener un vertido

Cierre de desagües

Indicaciones adecuadas sobre la manera de limpiar un vertido

Limpiar con materiales absorbentes (p.ej. paño, vellón). Recoger el vertido: serrín, kieselgur (diatomita), arena, aglomerante universal

Técnicas de contención adecuadas

Utilización de materiales absorbentes.

Otras indicaciones relativas a los vertidos y las fugas

Colocar en recipientes apropiados para su eliminación. Ventilar la zona afectada.

6.4 Referencia a otras secciones

Equipo de protección personal: véase sección 8. Materiales incompatibles: véase sección 10. Consideraciones relativas a la eliminación: véase sección 13.

SECCIÓN 7: Manipulación y almacenamiento

7.1 Precauciones para una manipulación segura

Recomendaciones

- Medidas de prevención de incendios, así como las destinadas a impedir la formación de partículas en suspensión y polvo

Utilización de ventilación local y general. Úsese únicamente en lugares bien ventilados. No echar jamás agua a este producto.

- Manipulación de sustancias o mezclas incompatibles

No mezclar con lejías.

- Manténgase lejos de

Productos alcalinos

Recomendaciones sobre medidas generales de higiene en el trabajo

Lavarse las manos después de cada utilización. No comer, beber ni fumar en las zonas de trabajo. Despojarse de prendas de vestir y equipos de protección contaminados antes de entrar en las zonas para comer. No guarde juntos alimentos y productos químicos. No utilice para guardar productos químicos envases destinados normalmente a guardar alimentos. Manténgase lejos de alimentos, bebidas y piensos.

7.2 Condiciones de almacenamiento seguro, incluidas posibles incompatibilidades

Controlar los efectos

Proteger contra la exposición externa, como

heladas

- Compatibilidades de embalaje

Solamente pueden usarse envases que han sido aprobados (p.ej. conforme al reglamento para el transporte de mercancías peligrosas).

7.3 Usos específicos finales

Véase la sección 16 para una orientación general.

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

SECCIÓN 8: Controles de exposición/protección individual

8.1 Parámetros de control

Valores límites de exposición profesional (límites de exposición en el lugar de trabajo)											
País	Nombre del agente	No CAS	Identificador	VLA-ED [ppm]	VLA-ED [mg/m ³]	VLA-EC [ppm]	VLA-EC [mg/m ³]	VLA-VM [ppm]	VLA-VM [mg/m ³]	Anotación	Fuente
MX	cloruro de hidrógeno	7647-01-0	VLE			2					NOM-010-STPS
US	cloruro de hidrógeno	7647-01-0	REL					5	7		NIOSH REL
US	cloruro de hidrógeno	7647-01-0	TLV®					2			ACGIH® 2020
US	cloruro de hidrógeno	7647-01-0	PEL					5	7		29 CFR 1910.1000
US	cloruro de hidrógeno (muriatic acid) (ácido clorhídrico)	7647-01-0	PEL (CA)	0.3	0.45			2			Cal/OSHA PEL

Anotación

- VLA-EC valor límite ambiental-exposición de corta duración (nivel de exposición de corta duración): valor límite a partir del cual no debe producirse ninguna exposición y que hace referencia a un periodo de 15 minutos (salvo que se disponga lo contrario)
- VLA-ED valor límite ambiental-exposición diaria (límite de exposición de larga duración): tiempo medido o calculado en relación con un periodo de referencia de una media ponderada en el tiempo de ocho horas (salvo que se disponga lo contrario)
- VLA-VM valor máximo a partir del cual no debe producirse ninguna exposición (ceiling value)

8.2 Controles de exposición

Controles técnicos apropiados

Ventilación general.

Medidas de protección individual (equipo de protección personal)

Protección de los ojos/la cara

Úsese protección para los ojos/la cara.

Protección de la piel

- Protección de las manos

Úsense guantes adecuados. Adecuado es un guante de protección química probado según la norma EN 374. Revisar la hermeticidad/impermeabilidad antes de su uso. En caso de reutilización de guantes, limpiarlos antes quitarlos y después orear. Para usos especiales se recomienda verificar con el proveedor de los guantes de protección, sobre la resistencia de éstos contra los productos químicos arriba mencionados.

- Otras medidas de protección

Hacer períodos de recuperación para la regeneración de la piel. Están recomendados los protectores de piel preventivos (cremas de protección/pomadas). Lavarse las manos concienzudamente tras la manipulación.

Protección respiratoria

En caso de ventilación insuficiente, llevar equipo de protección respiratoria.

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

Controles de exposición medioambiental

Utilícese un envase de seguridad adecuado para evitar la contaminación del medio ambiente. Mantener el producto alejado de los desagües y de las aguas superficiales y subterráneas.

SECCIÓN 9: Propiedades físicas y químicas

9.1 Información sobre propiedades físicas y químicas básicas

Aspecto

Estado físico	líquido
Color	verde
Partícula	no relevantes (líquido)
Olor	Acetophenone

Otros parámetros de seguridad

pH (valor)	<1 (ácido)
Punto de fusión/punto de congelación	no determinado
Punto inicial de ebullición e intervalo de ebullición	100 °C
Punto de inflamación	no determinado
Tasa de evaporación	No determinado
Inflamabilidad (sólido, gas)	no relevantes, (fluido)
Presión de vapor	no determinado
Densidad	no determinado
Densidad de vapor	esta información no está disponible
Densidad relativa	1.045 - 1.055 (aire = 1)
Temperatura de auto-inflamación	
- Viscosidad dinámica	25 - 150 cP a 20 °C

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

9.2	Otros datos	no hay información adicional
------------	--------------------	------------------------------

SECCIÓN 10: Estabilidad y reactividad

10.1 Reactividad

Concerniente a la incompatibilidad: véase más abajo "Condiciones que deben evitarse" y "Materiales incompatibles".

10.2 Estabilidad química

Véase más abajo "Condiciones que deben evitarse".

10.3 Posibilidad de reacciones peligrosas

No tiene reacciones peligrosas conocidas.

10.4 Condiciones que deben evitarse

No se conocen condiciones particulares que deban evitarse.

10.5 Materiales incompatibles

No hay información adicional.

Liberación de materiales inflamables con:

Metales ligeros (debido al desprendimiento de hidrógeno en un medio ácido/alcalino)

10.6 Productos de descomposición peligrosos

No se conocen productos de descomposición peligrosos que se puedan anticipar razonablemente como resultado del uso, el almacenamiento, el vertido y el calentamiento. Productos de combustión peligrosos: véase sección 5.

SECCIÓN 11: Información toxicológica

11.1 Información sobre los efectos toxicológicos

No se dispone de datos de ensayo sobre la propia mezcla.

Procedimientos de clasificación

La clasificación de la mezcla está basada en los componentes (fórmula de adición).

Clasificación según OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Toxicidad aguda

No se clasificará como toxicidad aguda.

SGA de las Naciones Unidas, anexo 4: Puede ser nocivo en caso de inhalación.

Estimación de la toxicidad aguda (ETA) de los componentes de la mezcla			
Nombre de la sustancia	No CAS	Vía de exposición	ETA
Cloruro de hidrógeno	7647-01-0	oral	900 mg/kg
Cloruro de hidrógeno	7647-01-0	inhalación: vapores	3 mg/l/4h

Corrosión o irritación cutánea

Provoca quemaduras graves en la piel y lesiones oculares graves.

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

Lesiones oculares graves o irritación ocular

Provoca lesiones oculares graves.

Sensibilización respiratoria o cutánea

No se clasificará como sensibilizante respiratoria o sensibilizante cutánea.

Mutagenicidad en células germinales

No se clasificará como mutágeno en células germinales.

Carcinogenicidad

No se clasificará como carcinógeno.

IARC monografías sobre la evaluación de riesgos para el hombre carcinogénico

Nombre de la sustancia	No CAS	Clasificación	Número
Cloruro de hidrógeno	7647-01-0	3	

Leyenda

3 El agente (mezcla o circunstancia de exposición) no es clasificable según su carcinogenicidad para humanos

Toxicidad para la reproducción

No se clasificará como tóxico para la reproducción.

Toxicidad específica en determinados órganos - exposición única

No se clasifica como tóxico específico en determinados órganos (exposición única).

Toxicidad específica en determinados órganos - exposición repetida

No se clasifica como tóxico específico en determinados órganos (exposición repetida).

Peligro por aspiración

No se clasifica como peligroso en caso de aspiración.

SECCIÓN 12: Información ecológica

12.1 Toxicidad

Nocivo para los organismos acuáticos.

12.2 Persistencia y degradabilidad

No se dispone de datos.

12.3 Potencial de bioacumulación

No se dispone de datos.

12.4 Movilidad en el suelo

No se dispone de datos.

12.5 Resultados de la valoración PBT y mPmB

No se dispone de datos.

12.6 Propiedades de alteración endocrina

Ninguno de los componentes está incluido en la lista.

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

12.7 Otros efectos adversos

No se dispone de datos.

SECCIÓN 13: Consideraciones relativas a la eliminación

13.1 Métodos para el tratamiento de residuos

Información pertinente para el tratamiento de las aguas residuales

No tirar los residuos por el desagüe. Evítese su liberación al medio ambiente. Recábense instrucciones específicas de la ficha de datos de seguridad.

Tratamiento de residuos de recipientes/embalajes

Solamente pueden usarse envases que han sido aprobados (p.ej. conforme a DOT). Envases completamente vacíos pueden ser reciclados. Manipular los envases contaminados de la misma forma que la sustancia.

Observaciones

Por favor considerar las disposiciones nacionales o regionales pertinentes. Los residuos se deben clasificar en las categorías aceptadas por los centros locales o nacionales de tratamiento de residuos.

SECCIÓN 14: Información relativa al transporte

14.1 Número ONU

DOT	UN 1789
Código-IMDG	UN 1789
OACI-IT	UN 1789

14.2 Designación oficial de transporte de las Naciones Unidas

DOT	Ácido clorhídrico
Código-IMDG	HYDROCHLORIC ACID
OACI-IT	Hydrochloric acid

14.3 Clase(s) de peligro para el transporte

DOT	8
Código-IMDG	8
OACI-IT	8

14.4 Grupo de embalaje

DOT	II
Código-IMDG	II
OACI-IT	II

14.5 Peligros para el medio ambiente

no peligroso para el medio ambiente conforme al reglamento para el transporte de mercancías peligrosas

14.6 Precauciones particulares para los usuarios

No hay información adicional.

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

14.7 Transporte a granel con arreglo al anexo II del Convenio MARPOL y del Código IBC

El transporte a granel de la mercancía no está previsto.

Información para cada uno de los Reglamentos tipo de las Naciones Unidas

Transporte por carretera o por ferrocarril de mercancías peligrosas (49 CFR US DOT) - Información adicional

Designaciones indicadas en la declaración del expedidor (shipper's declaration)	UN1789, Ácido clorhídrico, 8, II
Reportable quantity (cantidad sujeta a notificación) (RQ)	52,195 lbs (23,696 kg) (Cloruro de hidrógeno) (Fenol)
Etiqueta(s) de peligro	8



Disposiciones especiales (DE)	386, A3, B3, B15, B133, IB2, N41, T8, TP2
No GRE	157

Código marítimo internacional de mercancías peligrosas (IMDG) - Información adicional

Contaminante marino	-
Etiqueta(s) de peligro	8



Cantidades exceptuadas (CE)	E2
Cantidades limitadas (LQ)	1 L
EmS	F-A, S-B
Categoría de estiba (stowage category)	C
Distinción de grupos	1 - Ácidos

Organización de Aviación Civil Internacional (OACI-IATA/DGR) - Información adicional

Etiqueta(s) de peligro	8
------------------------	---



Disposiciones especiales (DE)	A3
Cantidades exceptuadas (CE)	E2
Cantidades limitadas (LQ)	0,5 L

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

SECCIÓN 15: Información reglamentaria

15.1 Reglamentación y legislación en materia de seguridad, salud y medio ambiente específicas para la sustancia o la mezcla

Normas nacionales (Estados Unidos)

FIFRA Labeling

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

Ley de Enmiendas y Reautorización de Superfondos (TÍTULO SARA III)

- Lista de Sustancias Extremadamente Peligrosas (40 CFR 355) (EPCRA sección 304)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities				
Nombre de la sustancia	No CAS	Notas	Reportable quantity (pounds)	Threshold planning quantity (pounds)
Cloruro de hidrógeno	7647-01-0	f	5,000	500

Leyenda

f Chemical on the original list that does not meet toxicity criteria but because of its acute lethality, high production volume and known risk is considered chemical of concern ("Other chemicals"). (November 17, 1986, and February 15, 1990.)

- Listado de sustancias químicas tóxicas específicas (40 CFR 372) (EPCRA sección 313)

Toxics Release Inventory			
Nombre de la sustancia	No CAS	Observaciones	Effective date
Cloruro de hidrógeno	7647-01-0	acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size	1987-01-01

Ley Integral de Respuesta, Compensación y Responsabilidad Civil Ambiental (CERCLA)

- Lista de sustancias peligrosas y cantidades reportables (CERCLA sección 102(a) (40 CFR 302.4)

Nombre de la sustancia	No CAS	Observaciones	Statutory code	Final RQ pounds (Kg)
Cloruro de hidrógeno	7647-01-0		1 3	5000 (2270)

Leyenda

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

3 "3" indicates that the source is section 112 of the Clean Air Act

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

Clean Air Act

Nombre de la sustancia	No CAS	Tipo de registro	Basis for listing	Threshold quantity (lbs)
Cloruro de hidrógeno	7647-01-0	Toxic substance	a	5000
Cloruro de hidrógeno	7647-01-0	Toxic substance	d	15000

Leyenda

a Mandated for listing by Congress.
d Toxicity of hydrogen chloride, potential to release hydrogen chloride, and history of accidents.

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Nombre de la sustancia	No CAS	Functionality	Authoritative Lists
Cloruro de hidrógeno	7647-01-0		CA TACs OEHA RELs

- Toxic or Hazardous Substance List (MA-TURA)

Nombre de la sustancia	No CAS	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
Cloruro de hidrógeno	7647-01-0				1.0 %

- Hazardous Substances List (MN-ERTK)

Nombre de la sustancia	No CAS	Referencias	Observaciones
Cloruro de hidrógeno	7647-01-0	A, O	

Leyenda

A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

Nombre de la sustancia	No CAS	Observaciones	Clasificaciones
Cloruro de hidrógeno	7647-01-0		CO R1

Leyenda

CO Corrosivo
R1 Reactive - First Degree

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

- Hazardous Substance List (Chapter 323) (PA-RTK)

Nombre según el inventario	No CAS	Clasificación
HYDROCHLORIC ACID	7647-01-0	E

Leyenda

E Environmental hazard

- Hazardous Substance List (RI-RTK)

Nombre de la sustancia	No CAS	Referencias
Cloruro de hidrógeno	7647-01-0	T, F

Leyenda

F Flammability (NFPA®)

T Toxicidad (ACGIH®)

Orientacion(es) específica(s) de la industria o el sector correspondiente(s)

NPCA-HMIS® III

Hazardous Materials Identification System (sistema de identificación de materiales peligrosos). American Coatings Association (Asociación Estadounidense de Productores de Revestimientos).

Categoría	Clasificación	Descripción
Crónico	*	efectos crónicos a la salud (largo plazo) pueden resultar debido a sobreexposición repetida
Salud	3	probable lesión grave a menos que una acción inmediata sea tomada y se proporcione tratamiento médico
Inflamabilidad	0	material que no se quema bajo condiciones normales o típicas de incendios
Peligro físico	0	material que es normalmente estable, incluso bajo condiciones de fuego, y no reaccionará con agua, ni se podrá polimerizar, descomponer, condensar o auto-reaccionar. No explosivo
Equipo de protección individual	-	

NFPA® 704

Asociación Nacional de Protección contra el Fuego: Sistema Normativo para la identificación de los Peligros de Materiales para Respuesta a Emergencias.

Categoría	Grado de riesgo	Descripción
Inflamabilidad	0	material que no se quema bajo condiciones normales o típicas de incendios
Salud	3	material que, bajo condiciones de emergencia, puede causar lesiones serias o permanentes
Inestabilidad	0	material que es normalmente estable, incluso bajo condiciones de incendio
Riesgo especial		

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

Catálogos nacionales

País	Inventario	Estatuto
EU	REACH Reg.	no todos los componentes están incluidos en la lista
US	TSCA	no todos los componentes están incluidos en la lista

Leyenda

REACH Reg. sustancias registradas REACH
TSCA Ley de Control de Sustancias Tóxicas

15.2 Evaluación de la seguridad química

No se ha realizado una evaluación de la seguridad química de las sustancias en esta mezcla.

SECCIÓN 16: Otra información

Abreviaturas y los acrónimos

Abrev.	Descripciones de las abreviaturas utilizadas
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2020	From ACGIH®, 2020 TLVs® and BEIs® Book. Copyright 2020. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (número identificador único carente de significado químico)
Código-IMDG	Código Marítimo Internacional de Mercancías Peligrosas
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (reglamento para el transporte de mercancías peligrosas, véase IATA/DGR)
DOT	Department of Transportation (Departamento de Transporte de los Estados Unidos)
EmS	Emergency Schedule (programa de emergencias)
ETA	Estimación de la Toxicidad Aguda
HHS	Higher hazard substance
IATA	Asociación Internacional de Transporte Aéreo
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA) (Reglamento para el transporte de mercancías peligrosas por aire)
IMDG	International Maritime Dangerous Goods Code (código marítimo internacional de mercancías peligrosas)
LHS	Lower hazard substance
MARPOL	El convenio internacional para prevenir la contaminación por los buques (abr. de "Marine Pollutant")

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

Abrev.	Descripciones de las abreviaturas utilizadas
mPmB	Muy persistente y muy bioacumulable
NFPA®	National Fire Protection Association (Asociación Nacional de Protección contra el Fuego, Estados Unidos)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
No GRE	Emergency Response Guidebook - Number (guía norteamericano de respuesta en caso de emergencia)
NOM-010-STPS	NORMA Oficial Mexicana NOM-010-STPS: Agentes químicos contaminantes del ambiente laboral-Reconocimiento, evaluación y control
NPCA-HMIS® III	Estadounidense de Productores de Revestimientos: Sistema de Identificación de Materiales Peligrosos - HMIS®III, Tercera edición
OACI	Organisation de l'Aviation Civile International
OACI-IT	Technical instructions for the safe transport of dangerous goods by air (instrucciones técnicas para el transporte sin riesgos de mercancías peligrosas por vía aérea)
OSHA	Occupational Safety and Health Administration (OSHA, administración de seguridad y salud ocupacional de Estados Unidos)
PBT	Persistente, Bioacumulable y Tóxico
PEL	Valor límite ambiental
ppm	Partes por millón
RTECS	Registry of Toxic Effects of Chemical Substances (base de datos de NIOSH con información toxicológica)
SGA	"Sistema Globalmente Armonizado de clasificación y etiquetado de sustancias químicas" elaborado por Naciones Unidas
TLV®	Threshold Limit Values
VLA-EC	Valor límite ambiental-exposición de corta duración
VLA-ED	Valor límite ambiental-exposición diaria
VLA-VM	Valor máximo
VLE	Valor límite ambiental

Principales referencias bibliográficas y fuentes de datos

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transporte por carretera o por ferrocarril de mercancías peligrosas (49 CFR US DOT). Código marítimo internacional de mercancías peligrosas (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA) (Reglamento para el transporte de mercancías peligrosas por aire).

Procedimientos de clasificación

Propiedades físicas y químicas: La clasificación está basada en la mezcla sometida a ensayo.

Peligros para la salud humana, Peligros para el medio ambiente: La clasificación de la mezcla está basada en los componentes (fórmula de adición).

Ficha de Datos de Seguridad

según SGA de las Naciones Unidas, anexo 4

Uline Toilet Bowl Cleaner

Número de la versión: 1.1

Fecha de emisión: 2021-05-04

Cláusula de exención de responsabilidad

Esta información se basa en los conocimientos de que disponemos hasta el momento. Esta FDS se refiere exclusivamente a este producto. Disclaimer: No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, is made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information and recommendations contained herein are presented in good faith. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material. .