



CEMENT & CONCRETE PRODUCTS™

A2: Water Based Products

SAFETY DATA SHEET

(Complies with OSHA 29 CFR 1910.1200)

SECTION I: PRODUCT IDENTIFICATION

The QUIKRETE® Companies
5 Concourse Parkway, Suite 1900
Atlanta, GA 30328

Emergency Telephone Number
INFOTRAC (800) 535-5053
Information Telephone Number
(800) 282-5828

SDS A2
Revision: Jul-26

QUIKRETE® Product Name

LIQUID STUCCO
STUCCO REPAIR
PRE-MIXED STUCCO PATCH
CONCRETE PATCHING COMPOUND

Code

1320 / 1321 / 1322
8650-05, -10, -11
8650-32
8650-35, -36

Product Use: Acrylic exterior coating and repair material.

See most current revision of this document at www.QUIKRETE.com.

SECTION II - HAZARD IDENTIFICATION

Hazard-determining components of labeling: Acrylic Polymer, Silica

2.1 Classification of the substance or mixture

Skin Irritation – Category 2
Eye Irritation – Category 2B
Specific Target Organ Toxicity – Repeat Exposure - Category 2
Acute Oral Toxicity – Category 4
Carcinogen – Category 1A

2.2a Signal Word DANGER

2.2b Hazard Statements

Causes skin and eye irritation
May cause damage to lungs through repeated or prolonged inhalation of dust
Harmful if swallowed
May cause cancer through chronic inhalation of dust

2.2c Pictograms

QUIKRETE®**CEMENT & CONCRETE PRODUCTS™****2.2d Precautionary statements**

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/eye protection/clothing.

Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Use only in a well-ventilated area.

Do not breathe vapors / fumes

If on skin (or hair): Immediately take off all contaminated clothing and wash before reuse. Rinse skin or hair with water.

If in eyes: Rinse cautiously with water for several minutes; remove contact lenses if easy to do; continue rinsing.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If swallowed: Rinse mouth; do NOT induce vomiting.

Immediately seek medical advice or attention if symptoms are significant or persist.

Dispose of contents and container in accordance with all regulations.

2.3 Additional Information

2.3a HNOC – Hazards not otherwise classified: Not applicable

2.3b Unknown Acute Toxicity: None

SECTION III - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	CAS No.	% by Weight
Calcium Carbonate	1317-65-3	70-80
Water	7732-18-5	15-40
Acrylic Polymeric Resin	Not Hazardous	10-20
Crystalline Silica, Quartz	14808-60-7	7-13
Titanium Dioxide	13463-67-7	1-2
Butyl Benzyl Phthalate	85-68-7	1-2

Composition ranges provided due to batch-to-batch variability.

None of the constituents of this product are of unknown toxicity.

SECTION IV – FIRST AID MEASURES

4.1 Description of the first-aid measures

General information:

After inhalation: Remove person to fresh air and keep comfortable for breathing.

**CEMENT & CONCRETE PRODUCTS™**

After skin contact: If on skin (or hair): Immediately take off all contaminated clothing and wash before reuse. Rinse skin or hair with water.

After eye contact: If in eyes: Rinse cautiously with water for several minutes; remove contact lenses if easy to do; continue rinsing.

After swallowing: If swallowed: Rinse mouth; do NOT induce vomiting. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms/effects, acute and delayed

Inhalation: May cause respiratory tract irritation.

Skin contact: May cause skin irritation.

Eye Contact: May cause eye irritation

Ingestion: Harmful if large amounts are ingested. Ingestion of may cause discomfort and/or distress, nausea or vomiting.

4.3 Indication of immediate medical attention and special treatment needed:

Immediately seek medical advice or attention if symptoms are significant or persist.

SECTION V - FIRE FIGHTING MEASURES

5.1 Flammability of the Product: Non-flammable and non-combustible

5.2 Suitable extinguishing agents: Treat for surrounding material

5.3 Special hazards arising from the substance or mixture: None

5.3a Products of Combustion: None

5.3b Explosion Hazards in Presence of Various Substances: Non-explosive in presence of shocks

SECTION VI – ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Wear personal protective equipment (See section VIII). Keep unprotected persons away.

6.2 Methods and material for containment and cleaning up:

Do not allow to enter sewers/ surface or ground water. Dispose of unwanted materials and containers properly in accordance with all regulations.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND STORAGE

7.1 Handling

SDS A2

QUIKRETE Companies, LLC

7/2/2026


CEMENT & CONCRETE PRODUCTS™

Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace. Wear appropriate PPE (See section 8). Do not mix with other chemical products, except as indicated by the manufacturer. Do not get in eyes, on skin or clothing.

7.2 Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: KEEP OUT OF THE REACH OF CHILDREN.

SECTION VIII – EXPOSURE CONTROL MEASURES / PERSONAL PROTECTION

8.1 Components with limit values that require monitoring at the workplace:

Hazardous Components	CAS No.	PEL (OSHA) mg/M ³	TLV (ACGIH) mg/M ³
Crystalline Silica, Quartz	14808-60-7	0.05	0.025 (Resp)

8.2 Exposure Controls

Use ventilation adequate to keep exposures below recommended exposure limits.

8.3 General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

8.3a Personal protective equipment

Protection of hands:

Wear gloves of adequate length to offer appropriate skin protection from incidental contact. Nitrile, Butyl and PVC gloves have been found to offer adequate protection for incidental contact.

Eye protection:

Wear approved eye protection properly fitted dust- or splash-proof chemical safety glasses.

Respiratory protection:

No respiratory protection required under normal conditions of use.

SECTION IX - PHYSICAL/CHEMICAL CHARACTERISTICS

General Information

(a) Physical State	Paste
(b) Color	Tan
(c) Odor	Ammonia
(d) Melting Point/Freezing Point:	Not Applicable
(e) Flammability	Inflammable
(f) Upper Flammability/Explosive Limit:	Not Applicable
(g) Lower Flammability/Explosive Limit:	Not Applicable



CEMENT & CONCRETE PRODUCTS™

(h) Flash Point:	>212 °F (>100 °C)
(i) Auto-ignition Temperature:	Not Applicable
(j) Decomposition Temperature:	Not Known
(k) pH:	7.0 – 9.0
(l) Kinematic Viscosity:	Not Applicable
(m) Solubility:	Slightly Soluble
(n) Partition Coefficient: n-octanol/water (logarithmic value):	Not Known
(o) Vapor Pressure:	<1 (Water)
(p) Density/Relative Density	1.0 – 1.2 g/mL
(q) Relative Vapor Density:	Not Known
(r) Particle Characteristics	Not Known
(s) VOC Content:	<20 g/L per EPA Method 24

SECTION X – STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal storage conditions.

10.3 Possibility of hazardous reaction

No dangerous reaction known under conditions of normal use.

10.4 Thermal decomposition / conditions to be avoided

No decomposition if used according to specifications.

10.5 Incompatible materials

Strong oxidizers, materials that react with water

10.6 Hazardous Decomposition or By-products

None known

SECTION XI – TOXICOLOGICAL INFORMATION

11.1 Exposure Routes: Skin contact, eye contact, inhalation, or ingestion.

11.2 Symptoms related to physical/chemical/toxicological characteristics:

Inhalation: May cause respiratory tract irritation.

Skin contact: May cause skin irritation.

Eye Contact: May cause eye irritation

Ingestion: Harmful if large amounts are ingested. Ingestion of may cause discomfort and/or distress, nausea or vomiting.

11.3 Delayed, immediate and chronic effects of short-term and long-term exposure

**CEMENT & CONCRETE PRODUCTS™****Short Term**

Skin Corrosion/Irritation: May cause skin irritation
Serious Eye Damage/Irritation: May cause eye irritation
Respiratory Sensitization: Not Applicable
Skin Sensitization: Not Applicable
Specific Target Organ Toxicity-Single Exposure: May cause respiratory irritation.
Aspiration Hazard: Not Applicable
Ingestion: Harmful if swallowed

Long Term

Carcinogenicity: May cause cancer through chronic inhalation of dust
Germ Cell Mutagenicity: Not Applicable
Reproductive Toxicity: Not Applicable
Specific Target Organ Toxicity- Repeated Exposure (Category 2): May cause damage to lungs through repeated or prolonged inhalation of dust
Synergistic/Antagonistic Effects: Not applicable

SECTION XII – ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or un-neutralized.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential:

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Other Adverse Effects

No further relevant information available.

SECTION XIII – DISPOSAL CONSIDERATIONS

13.1 Waste Disposal Method

The packaging and material may be land filled; however, material should be covered to minimize generation of airborne dust. This product is not classified as a hazardous waste under the authority of the RCRA (40CFR 261) or CERCLA (40CFR 117&302). Disposal must be made in accordance with local, state and federal regulations.

13.2 Other disposal considerations**Uncleaned packaging**

Recommendation: Disposal must be made in accordance with local, state and federal regulations.



CEMENT & CONCRETE PRODUCTS™

Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION XIV – TRANSPORT INFORMATION

	DOT (U.S.)	TDG (Canada)
UN Number	Not Regulated	Not Regulated
UN Proper Shipping Name	Not Regulated	Not Regulated
Transport Hazard Class(es)	Not Regulated	Not Regulated
Packing Group (if applicable)	Not Regulated	Not Regulated

14.1 Environmental hazards:

Not Available

14.2 Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code

Not available

14.3 Special precautions for user

Do not handle until all safety precautions have been read and understood.

SECTION XV – OTHER REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislations specific for the chemical

Canada

WHMIS Classification: Considered to be a hazardous material under the Hazardous Products Act as defined by the Hazardous Products Regulations and subject to the requirements of Health Canada's Workplace Hazardous Material Information (WHMIS). This document complies with the WHMIS requirements of the Hazardous Products Act (HPA) and the HPR.

15.2 US Federal Information

SARA 302/311/312/313 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302, 311, 312 or 313.

15.3 State Right to Know Laws

California Prop. 65 Components



WARNING: This product can expose you to chemicals including crystalline silica, which is known to the State of California to cause cancer, and ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

15.4 Global Inventories

DSL All components of this product are on the Canadian DSL list.

TSCA No.: All constituents are listed in the TSCA inventory.

**CEMENT & CONCRETE PRODUCTS™**

SECTION XVI – OTHER INFORMATION

Last Updated: July 2, 2026

DISCLAIMER: We believe that the statements, technical information and recommendations contained in this Safety Data Sheet are true, but they are given without warranty of any kind. The information in this document applies to this specific substance as supplied. They may not be valid for this substance if it is used in combination with any other substance. It is the user's responsibility to ensure the relevance and completeness of this information for the particular use he will make of it. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products.

Prepared by

The QUIKRETE Companies, LLC

End of SDS